Cookbook

COFFEE SHOP





Prática's High-Speed Ovens Enriching coffee shop culinary offerings

- Lightning-fast cooking times for efficient service in busy coffee shop environments
- Streamlined operations to handle high volumes without compromising quality
- Versatile cooking capabilities for a diverse range of delectable treats
- Precise temperature and humidity control for consistent and mouthwatering results
- Advanced safety features ensure a secure cooking environment
- Energy-efficient design reduces costs and supports sustainability

Expand your menu, maximize your profits, and minimize your operational costs.













We understand the importance of providing more than just a perfect cup of coffee. Amplify your coffee shop's culinary offerings with Prática's ventless smart high-speed ovens! Expand your menu and delight your customers with an irresistible selection of treats that perfectly complement your beverage selection.

Operating our high-speed ovens is a breeze, allowing you to deliver delightful treats in no time. Once your personalized settings and recipes are set, simply select the desired recipe from the user-friendly interface to initiate the cooking process. The oven will seamlessly execute the recipe based on the established settings, guaranteeing consistent quality and flavors.

Unleash your creativity and craft a memorable dining experience that keeps customers returning for more.

This cookbook has been curated with recipes tailored specifically for our high-speed ovens, considering the atmosphere of coffee shops. It serves as a valuable starting point by offering you settings based on the recipes tested in our kitchen.

You have the flexibility to customize cooking parameters according to your preferences, empowering you to achieve the perfect textures and flavors envisioned for your business.

These recipes are not only examples but also sources of inspiration. Feel free to create additional recipes with different flavors and variations, aligning them with your coffee shop's unique menu.

On each page, you will find:

- A picture illustrating the featured food item
- The precise settings used for preparing that food item on each recommended high-speed oven
- A direct link to the recipe page on our website, providing more details and authentic pictures of the results achieved in our test kitchen
- An additional link to a short video showcasing the highspeed oven in action, specifically demonstrating that particular recipe.

Our expert team is available to assist you in ongoing support, troubleshooting, and recipe refinement.



INDEX


FOOD

- 6 Pastries
- **7** Sandwiches
- 8 Panini
- 9 Breakfast Sandwich
- 10 Egg bites
- 11 Pancakes
- 12 Waffles
- 13 Cookies
- **14** Fried eggs
- 15 Toasts

HIGH SPEED OVENS

- 16 Fit Express
- 18 Forza STi
- 20 Copa Express
- **22** Rocket Express
- 24 IOK Internet of Kitchen
- 26 Cleaning products
- **27** Accessories
- 28 Company
- **30** Price list and warranty





Pastries


Freshly warmed pastries. Our high-speed ovens efficiently heat refrigerated pastries, ensuring quick and fresh serving. Your customers will enjoy the enticing aroma and delicious taste of these delightful treats.





Settings for warming up 2 chocolate croissants:

FIT EXPRESS





Capasxpress

1º	50% \
Ġ	10% S 80% =
0:35sec	500°F ₽





Sandwiches


By keeping sandwiches frozen or refrigerated and utilizing our high-speed ovens upon customer orders, coffee shops minimize food waste while serving fresh and hot sandwiches. With this efficient approach, coffee shops can streamline their operations, ensuring prompt service without compromising on quality.





Settings for a refrigerated 12" sub sandwich:

FIT EXPRESS





Capasxpress

1 °	80% (((
	40% Š
Ø	60%
0:40sec	500°F ↓





Panini


The cheese melts, the fillings warm up, and the bread gets perfectly toasted. Our high-speed ovens make it quick and easy for your customers to savor delicious, toasted panini in no time.





Settings for toasting a ham and cheese panini:

FIT EXPRESS





Capasxpress

40% € 100% ⊑ 0:40sec 500°F ∯	1º	90% \
100%		40% Š
0:40sec 500°F	Ö	100%
	0:40sec	500°F





Breakfast Sandwich


Crispy bread, melted cheese, and flavorful fillings create a mouthwatering dish. These sandwiches are quick, convenient, and satisfying. Reduce waste by storing them frozen or refrigerated and utilize our highspeed ovens for fresh, made-to-order sandwiches.





Settings for 4 refrigerated breakfast sandwiches:










Egg Bites

An amazing combination of fluffy eggs and savory ingredients, egg bites are a healthy and quick option for your customers. Whether freshly cooked or warmed from refrigeration, our high-speed ovens offer versatility for making egg bites.





Settings for 4 refrigerated egg bites:





1º	50% \
© 0:45sec	40% ≤ 30% □ 500°F






Pancakes

Our high-speed ovens turn frozen pancakes into warm and fluffy delights. Your customers will enjoy the comforting aroma and delicious taste as each pancake cooks to perfection. Quick and efficient, these pancakes are a convenient option.





Settings for reheating 6 frozen pancakes:










Waffles

Quick and convenient, these waffles are a tasty option for a satisfying breakfast. Utilize our high-speed ovens to efficiently heat and revive frozen waffles, serving your customers with speed and efficiency. Improve your breakfast menu with these tempting treats, minimizing waste by storing them frozen until ready to serve.





Settings for reheating 4 frozen waffles:










Cookies

Easily bake a batch of perfect cookies with our high-speed ovens. Simply place the cookie dough on the tray, and watch as multiple units of delicious cookies bake to perfection. Enjoy the aroma of freshly baked cookies filling the air, enticing your customers with their irresistible scent.

Settings for baking 12 cookies:

FORZA STI













Fried eggs

Utilize high-speed ovens to "fry" eggs: convenient, consistent, and healthier. Save money, and space—no stovetop required. No oil, no frying smell. Embrace a time-saving, healthier cooking method.






Settings for frying 2 eggs:





1°	50% \
Ğ	10% ≤ 60% □
1min25sec	500°F





Toasts






Our high-speed ovens excel at toasting bread, whether for standalone toasts or as part of a delicious sandwich. Enjoy perfectly toasted bread that adds a delightful crunch to your meals.

Settings for toasting 2 toasts:











FIT EXPRESS BLACK



FIT EXPRESS SILVER

FIT EXPRESS ORANGE

- User interface: full-color user-friendly touchscreen display. Drag and drop features.
- IOK: Create, edit, and organize groups, recipes, and complete menus directly on the oven or from your computer using Wi-Fi or USB Flash Drive and send them to all connected ovens.
- Multi-language system: Portuguese, English, Spanish, French, German, Polish, Russian, Mandarin, Greek.
- · Ventless: no hoods needed.
- The removable catalytic converter allows operators to perform the cleaning without the need for a maintenance service call.
- Secures consistent results: through precise control, even heat distribution, rapid cooking, built-in sensors, and customization options, ensuring uniform and efficient cooking for reliable outcomes.

- Independently adjust microwave power, temperature, and impinged air while programming recipes on the oven.
- No side vents, allowing zero side clearance.
- Elegant & Intuitive: Stores up to 1024 recipes, with their own steps, settings, icons, or photos.
- Temperatures up to 536°F: The impinged air convection technology combined with microwave capabilities enables users to cook food faster than when using traditional processes.
- Heat insulation: prevents the surrounding area from heating up and keeps the surface cool to the touch.

Prática

Oven Protector

Prática Oven Cleaner Solid

Basket

536°F



• 1 year warranty for parts and labor, with the exception of naturally worn items.

Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit Breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)	Clearance (Left / back / right side)
USA / Canada	208 240	Single	60	6.2 7.0	30	3x10 AWG	NEMA 6-30	25.9 x 15.2 x 27.3 (") 147.7 lbs.	35.8 x 20.1 x 35.6 (") 200 lbs.	5.2 x 12.4 x 12.1 (") 0.45 cu.ft	0" / 0" / 0"







Forza STi




Forza STi Double Stacked

- Pizzas up to 16": fresh, or par-baked dough, thin or thick crust.
- · Stackable: can be stacked up to two ovens.
- Each cavity has its own independent controls, allowing the temperature to be set individually, up to 626°F each.
- Elegant & Intuitive: stores up to 1024 recipes, with their own steps, settings, icons, or photos.
- User interface: full-color user-friendly touchscreen display. Drag and drop features.
- Multi-language system: Portuguese, English, Spanish, French, German, Polish, Russian, Mandarin, Greek.
- IOK: Create, edit, and organize groups, recipes, and complete menus directly on the oven or from your computer using Wi-Fi or USB Flash Drive and send them to all connected ovens.

CERTIFIED

- · Ventless: no hoods needed.
- The removable catalytic converter allows operators to perform the cleaning without the need for a maintenance service call.
- Heat insulation: prevents the surrounding area from heating up and keeps the surface cool to the touch.



- 1. Blower Motor
- 4. IR heater
- 2. Impingement Heater
- 5. Catalytic Converter
- 3. Impinged Air

STANDARD ACCESSORIES

OPTIONAL ADJUSTABLE FEET



 \oplus

Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit Breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)	Clearance (Left / back / right side)
USA / Canada	208 240	Single	60	5.6 7.2	30	3x10 AWG		Without feet 13.4 × 27.7 × 31 (") 148 lbs. With feet 17.4 × 27.7 × 31 (") 148 lbs.	25.2 x 33.2 x 37.6 (") 209.4 lbs.	3.6 x 18.1 x 17.1 (") 0.65 cu.ft	0"/0"/1"





COPA EXPRESS ORANGE


COPA EXPRESS BLACK COPA EXPRESS SILVER

- USB loading capabilities for programming and sharing settings between ovens.
- Catalytic converter filter technology allows the oven to operate in any indoor area without the use of a hood.
- Easy access to the removable catalytic converter that allows cleaning and maintenance to be performed by the end-user.
- Manual cooking mode allows quick and intuitive cooking of unexpected menu items.
- Infrared bottom heating element with independent temperature control.
- Easily removable bottom filter for cleaning and maintenance.
- Includes a daily cleaning function that cools the oven to safe temperatures and shows a video with recommended cleaning steps.

CERTIFIED


WITH EASILY REMOVABLE CATALYTIC CONVERTER.


- Side vents that allow 1" side clearance.
- Up to 1024 recipes, with 8 steps each in 16 groups.
- Adjustable temperature from 86°F (30°C) to 536°F (280°C).
- Capable of utilizing common pan sizes including 1/2 hotel pan (gastronorm pan), and a 1/4 sheet pan.




- 1. Magnetron
- 5. IR heater
- 2. Impingement Heater
- 6. Catalytic Converter
- 3. Stirrer
- 7. Blower Motor
- 4. Impinged Air

STANDARD ACCESSORIES





Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit Breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)	Clearance (Left / back / right sid
USA / Canada	208 240	Single	60	6.2 7.2	30	3x10 AWG		27.3 x 15.9 x 30.7 (") 174 lbs.	35.8 x 20.1 x 35.6 (") 235 lbs.	7.2 x 13.2 x 11.2 (") 0.61 cu.ft	1"/0"/1"






- Touchscreen display with intuitive and multi-language software, making it easy to set up, operate, and create recipes.
- USB loading capabilities for programming and sharing settings between ovens.
- Catalytic converter filter technology allows the oven to operate in any indoor area without the use of a hood.
- Easy access to the removable catalytic converter that allows cleaning and maintenance to be performed by the end-user.
- Manual cooking mode allows quick and intuitive cooking of unexpected menu items.
- Infrared bottom heating element with independent temperature control.

CERTIFIED

WITH EASILY REMOVABLE CATALYTIC CONVERTER.

- Bottom filter can be easily removed for cleaning and maintenance.
- Includes a daily cleaning function that cools the oven to safe temperatures and shows a video with recommended cleaning steps.
- No side vents, allowing zero side clearance.
- Up to 1024 recipes with 8 steps each in 16 groups.
- Adjustable temperature from 86°F (30°C) to 536°F (280°C).
- Exterior, cool to the touch.



- 1. Blower Motor
- 4. IR heater
- 2. Impingement Heater
- 5. Catalytic Converter
- 3. Impinged Air
- 6. Magnetrons

STANDARD ACCESSORIES





THE PERSON NAMED IN COLUMN


Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit Breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)	Clearance (Left / back / right side)
USA / Canada	208 240	Single	60	6.2 7.2	30	3x10 AWG	NEMA 6-30	25 x 20.9 x 31.7 (") 194 lbs.	34 x 25.2 x 36.2 (") 250 lbs .	5.7·x15.5 x14.2 (") 0.74 cu.ft	0"/0"/0"



them to all connected ovens. This feature saves time and ensures uniformity across your coffee shop locations, allowing you to maintain a high standard of culinary excellence.







- With the IOK, you can easily monitor and access your ovens remotely from various devices such as PCs, MACs, mobile phones, and tablets, regardless of your location.
- E Manage all your ovens and menus from one place.
- Create, edit, and organize groups, recipes, and complete menus directly on the oven or from your computer, and seamlessly send them to all connected ovens.
- Personalize the recipe icons by adding photos of your own dishes.
- The IOK ensures consistent recipe programming, ensuring that your menu and recipes maintain a seamless and uniform experience from beginning to end.
- Receive the latest updates on IOK features, interface, and display configuration for your ovens, no matter where they are located.
- Gain access to exclusive Cookbooks featuring recipe suggestions carefully crafted by Prática's chefs.
- Receive customer support conveniently through the IOK platform via chat.





CLEANING KIT BENEFITS

Specially formulated for Prática High-Speed Ovens

OVEN CLEANER

- · Non-caustic, non-corrosive, and non-flammable
- Dissolves heavy soils, carbonized buildup, fat, oil, and grease.
- Use it in commercial kitchens to save time and labor.
- Excellent cleaning and degreasing power.
- · Safe for use on aluminum.

OVEN PROTECTOR

- Prevents carbonized buildup, fat, oil, and grease from sticking to oven walls.
- It makes oven cleaning easier, saving time and labor.
- Use it in commercial kitchens to keep ovens looking like new.
- Blend of all GRAS ingredients (GRAS Generally Recognized As Safe by the FDA).

SPFFD OVENS ACCESSORIES

Panini Press

Part Number: 800552

Description: 11.8" x 11.9" x 2.4"

Compatibility: Fit Express

Ceramic Stone

Part Number: 200102

Description: 12.75" x 14.75" x 0.38" Compatibility: Rocket / Forza Express

Ceramic Stone - Small

Part Number: 200104

Description: 9.75" x 12.25" x 0.38"

Compatibility: Copa

Speed Grill

Part Number: 200601 800526 12 x 12"x 0.25" Description: 13" x 14" x 0.25"

Fit

Compatibility: Rocket

Speed Grill - Small

Part Number: 200604 Description: 8.25" x 11" x 1"

Compatibility: Copa

Solid Basket

Part Number: 200201 200205 11" x 11" x 1.25" Description: 13.5" x 13.5" x 1"

Compatibility: Rocket Fit Express

Solid Basket - Small

Part Number: 200203 Description: 9" x 12" x 1"

Compatibility: Copa

Perforated Basket

Part Number: 200202

Description: 13.5" x 14.5" x 1"

Compatibility: Rocket

Perforated Basket - Small

Part Number: 200204 Description: 9" x 12" x 1"

11" x 11" x 1"

Fit Express

200211

Pizza Screen

Compatibility: Copa

Part Number: 200602 760466 16" Description: 13.5"

Compatibility: Forza STi / Forza Express

Forza STi

Aluminum Paddle

Part Number: 200603 800512 800507 Description: 12" x 13.5" 12" x 13.75" 10" x 19"

Compatibility: Rocket Forza STi Fit / Copa

Cleaning Tool

Part Number: 618213 Compatibility: Forza STi

Prática Oven Cleaner

Case of 6 bottles 1 bottle Part Number: 20090CS 200902

Compatibility: Rocket / Copa / Fit / Forza STi

Prática Oven Protector

Case of 6 bottles 1 bottle Part Number: 200901CS 200901 Compatibility: Rocket / Copa / Fit / Forza STi

Standard Trigger Sprayer

Part Number: 200903

Foaming Trigger Sprayer

Part Number: 200906

Compatibility: Rocket / Copa / Fit / Forza STi

Cleaning kit

- 1 Standard Trigger Sprayer
- 1 Foaming Trigger Sprayer
- 1 Prática Oven Cleaner
- 1 Prática Oven Protector
- 1 Non-scratch Scrub Pad · 2 Cleaning Towels


















Prática, founded in 1991, offers cutting-edge equipment for the food preparation market, including an extensive product portfolio in the category of speed ovens. With over 600 employees, including 55 in Research & Development in its fully operational 250,000 sq ft factory located in Minas Gerais, Brazil, where it is the market leader. Additionally, the company has a strong presence in the international market, with branches in the United States and Chile, and exports its products to more than 50 countries.

At Prática, our purpose is to help our customers prepare high-quality food without waste. We understand the crucial role we play in the chain that begins with fields and crops and ends with providing prepared food to people. With our state-of-the-art technology and integrated product solutions, as well as pre- and post-sales support networks, we truly improve our customers' operations in quality food preparation, productivity, and profitability.

A well-aligned team, driven by strong values and a positive vision for the future, is propelling Prática towards an increasingly prominent position in the world.





























OUR PURPOSE

QUALITY FOOD WITHOUT WASTE












SUSTAINABILITY



PRESENT IN OVER 50 COUNTRIES



Zoom in to get a better view.

COVERAGE IN ALL 50 STATES



- * Nationwide parts distribution Partstown USA
- * Nationwide Service Network NSC
- * Nationwide Sales coverage by independent sales representatives

Zoom in to get a better view.

←

PRICE LIST





Prática Products Inc. warranties all high-speed ovens for a period of one (1) year covering manufacturer defects, part failures, and pre-approved labor, and two (2) years on all the heating elements, magnetrons, and blower motor of the oven. The warranty period starts on the installation day.

The warranty excludes user abuse, ordinary wear, tear, and other conditions described in full in the product user's manual.



Prática Products Inc. provides the most economical ground transportation possible, consistent with guaranteed freight and minimal terminal switching. Any special request, as in residential delivery, lift gate, or phone appointment, will have an additional charge. Prática Products Inc. imposes no hidden mark-ups; all freight charges are passed through the customer at our cost.

Any missing product, loss, or damage in shipment must be reported to Prática Products Inc. and the delivery common carrier immediately on receipt of shipment, and noted on the delivery receipt.

Shipments should be inspected before accepting delivery; if any damage is noticed, shipment should be refused. Any concealed damage noticed within 2 days of accepting delivery should be reported by consignee to the common carrier. Freight claims are the responsibility of the cosigner.

For information on terms and conditions please click on following link.



TERMS AND CONDITIONS

All prices are quoted in \$ U.S. dollars and are subject to change without notice. State sales tax will be added to the invoice if resale tax certificate is not on file.

Terms are net 30-days upon approved and established credit. Prices are quoted F.O.B from our warehouse in Lewisville, TX. Prática Products Inc. reserves the right to review, accept, or reject all purchase orders.

Purchase orders are only considered valid after written acknowledgement is received by the customer.

Prática Products Inc. reserves the right to change or modify the design, specification and substitute materials in construction of any product manufactured without notice.

All product dimensions are nominal and are subject to change.

RETURN POLICY

Any missing product, loss, or damage in shipment must be reported to Prática Products Inc. and the delivery common carrier immediately on receipt of shipment, and noted on the delivery receipt.

Shipments should be inspected before accepting delivery; if any damage is noticed, shipment should be refused. Any concealed damage noticed within 2 days of accepting delivery should be reported by consignee to the common carrier. Freight claims are the responsibility of the cosigner.

Unless Prática agrees otherwise, specifically in writing, sales are final. Returns of products will not be accepted unless Prática has provided written authorization. Returns are subject to a 25% restocking fee of the total order.



Prática Products, Inc. - USA

424 E Church Street | Lewisville, TX 75057

www.praticausa.com











