Coffee shop





Prática's High-Speed Ovens Enriching coffee shop culinary offerings

- Lightning-fast cooking times for efficient service in busy coffee shop environments
- Streamlined operations to handle high volumes without compromising quality
- Versatile cooking capabilities for a diverse range of delectable treats
- Precise temperature and humidity control for consistent and mouthwatering results
- Advanced safety features ensure a secure cooking environment
- Energy-efficient design reduces costs and supports sustainability

Expand your menu, maximize your profits, and minimize your operational costs.









We understand the importance of providing more than just a perfect cup of coffee. Amplify your coffee shop's culinary offerings with Prática's ventless smart high-speed ovens! Expand your menu and delight your customers with an irresistible selection of treats that perfectly complement your beverage selection.

Operating our high-speed ovens is a breeze, allowing you to deliver delightful treats in no time. Once your personalized settings and recipes are set, simply select the desired recipe from the userfriendly interface to initiate the cooking process. The oven will seamlessly execute the recipe based on the established settings, guaranteeing consistent quality and flavors.

Unleash your creativity and craft a memorable dining experience that keeps customers returning for more.

This cookbook has been curated with recipes tailored specifically for our high-speed ovens, considering the atmosphere of coffee shops. It serves as a valuable starting point by offering you settings based on the recipes tested in our kitchen.

You have the flexibility to customize cooking parameters according to your preferences, empowering you to achieve the perfect textures and flavors envisioned for your business.

These recipes are not only examples but also sources of inspiration. Feel free to create additional recipes with different flavors and variations, aligning them with your coffee shop's unique menu.

On each page, you will find:

- A picture illustrating the featured food item
- The precise settings used for preparing that food item on each recommended high-speed oven
- A direct link to the recipe page on our website, providing more details and authentic pictures of the results achieved in our test kitchen
- An additional link to a short video showcasing the highspeed oven in action, specifically demonstrating that particular recipe.

Our expert team is available to assist you in ongoing support, troubleshooting, and recipe refinement.



INDEX

FOOD

6	Pastries
7	Sandwiches
8	Panini
9	Breakfast Sandwich
10	Egg bites
11	Pancakes
12	Waffles
13	Cookies
14	Fried eggs
15	Toasts
HIGH	SPEED OVENS
16	Fit Express
18	Fit SM
20	Fit XL
22	Fit ST
24	Forza STI
26	Rocket Express
28	IOK - Internet of Kitchen
30	Cleaning products/Accessories
34	Company
38	Price list and warranty






Pastries

Freshly warmed pastries. Our high-speed ovens efficiently heat refrigerated pastries, ensuring quick and fresh serving. Your customers will enjoy the enticing aroma and delicious taste of these delightful treats.






Settings for warming up 2 chocolate croissants:







Sandwiches

By keeping sandwiches frozen or refrigerated and utilizing our high-speed ovens upon customer orders, coffee shops minimize food waste while serving fresh and hot sandwiches. With this efficient approach, coffee shops can streamline their operations, ensuring prompt service without compromising on quality.






Settings for a refrigerated 12" sub sandwich:

FIT E X P R E S S

0:40sec



500°F




Panini

The cheese melts, the fillings warm up, and the bread gets perfectly toasted. Our high-speed ovens make it quick and easy for your customers to savor delicious, toasted panini in no time.





Settings for toasting a ham and cheese panini:









Breakfast Sandwich

Crispy bread, melted cheese, and flavorful fillings create a mouthwatering dish. These sandwiches are quick, convenient, and satisfying. Reduce waste by storing them frozen or refrigerated and utilize our highspeed ovens for fresh, made-to-order sandwiches.





Settings for 4 refrigerated breakfast sandwiches:










Egg Bites

An amazing combination of fluffy eggs and savory ingredients, egg bites are a healthy and quick option for your customers. Whether freshly cooked or warmed from refrigeration, our high-speed ovens offer versatility for making egg bites.



Settings for 4 refrigerated egg bites:










Pancakes

Our high-speed ovens turn frozen pancakes into warm and fluffy delights. Your customers will enjoy the comforting aroma and delicious taste as each pancake cooks to perfection. Quick and efficient, these pancakes are a convenient option.



Settings for reheating 6 frozen pancakes:








Waffles


Quick and convenient, these waffles are a tasty option for a satisfying breakfast. Utilize our high-speed ovens to efficiently heat and revive frozen waffles, serving your customers with speed and efficiency. Improve your breakfast menu with these tempting treats, minimizing waste by storing them frozen until ready to serve.



Settings for reheating 4 frozen waffles:









Cookies

Easily bake a batch of perfect cookies with our high-speed ovens. Simply place the cookie dough on the tray, and watch as multiple units of delicious cookies bake to perfection. Enjoy the aroma of freshly baked cookies filling the air, enticing your customers with their irresistible scent.

Settings for baking 12 cookies:

FORZA <mark>ST</mark>i











Fried eggs

Utilize high-speed ovens to "fry" eggs: convenient, consistent, and healthier. Save money, and space—no stovetop required. No oil, no frying smell. Embrace a time-saving, healthier cooking method.



Settings for frying 2 eggs:








Toasts



Our high-speed ovens excel at toasting bread, whether for standalone toasts or as part of a delicious sandwich. Enjoy perfectly toasted bread that adds a delightful crunch to your meals. **Settings for toasting 2 toasts:**



FIT E X P R E S S

The Fit Express high-speed oven is designed for efficiently finalizing refrigerated, fresh, or frozen foods, such as breakfast sandwiches, chicken wings, muffins, lasagnas, mac & cheese, sub sandwiches, and other partially prepared dishes. It delivers excellent flavor, appearance, and crispiness. The combination of impinged air and microwaves allows for heating, browning, or toasting foods faster than traditional methods.



FIT EXPRESS ORANGE SKU: 990145

n

FIT EXPRESS BLACK SKU: 990136 • Fits on 15.2" width countertops and cooks 12" pizzas.

• User interface: full-color user-friendly touchscreen display. Drag and drop features.

· IOK: Create, edit, and organize groups, recipes, and complete menus directly on the oven or from your computer using Wi-Fi or USB Flash Drive and send them to all connected ovens.

Multi-language system: Portuguese, English, Spanish, French, • German, Polish, Russian, Mandarin, Greek.

· Ventless: no hoods needed.

 The removable catalytic converter allows operators to perform the cleaning without the need for a maintenance service call.

· Secures consistent results: through precise control, even heat distribution, rapid cooking, built-in sensors, and customization options, ensuring uniform and efficient cooking for reliable outcomes.


· Independently adjust microwave power, temperature, and impinged air while programming recipes on the oven.

· No side vents, allowing zero side clearance.

• Elegant & Intuitive: Stores unlimited recipes, with their own steps, settings, icons, or photos.

• Temperatures up to 536°F: The impinged air convection technology combined with microwave capabilities enables users to cook food faster than when using traditional processes.

· Heat insulation: prevents the surrounding area from heating up and keeps the surface cool to the touch.



- 2. Resistance (infrared)
- 6. Blower Motor
- 7. Microwaves
- 4. Impinged Air

3. Stirrer

COOK TIMES

Chicken Wings Bone-In	3 min 30 sec
Ham & Cheese Panini	55 sec
Mozzarella Sticks	1 min 45 sec
Italian Sub	55 sec
Breakfast Biscuit	1 min 30 sec



 \bigcirc



MORE



VIDEO



CAD AND

REVIT FILES

STANDARD ACCESSORIES









Perforated Basket Wide Mesh

• 1 year warranty for parts and labor, with the exception of naturally worn items.

FIT EXPRESS DOUBLE MAG

Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit Breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)	Clearance (Left / back / right side)	¢
USA / Canada	208 240	Single	60	6.2 7.0	30	3x10 AWG	• • • • NEMA 6-30	25.9 x 15.2 x 27.3 (") 147.7 lbs .	35.8 x 20.1 x 35.3 (") 200 lbs.	5.2 x 12.4 x 12.1 (") 0.45 cu.ft	0" / 0" / 0"	BACK TO MEN



The Fit Express Single Mag high-speed oven is designed for efficiently finalizing refrigerated, or fresh food items, such as breakfast sandwiches, pizzas, sub sandwiches, pastries and more! It delivers excellent flavor, appearance, and crispiness. The combination of impinged air and microwaves allows for heating, browning, or toasting foods faster than traditional methods. The Fit Express SM is not recommended for frozen food.



FIT SM SILVER SKU: 990170 · Ideal for fresh or refrigerated food items. Not recommended for frozen food.

 Energy efficient: It is designed to be energy-efficient, so you save money on electricity comparing to other models.

• Fits on 15.2" width countertops and cooks 12" pizzas and sandwiches.

· User interface: full-color user-friendly touchscreen display. Drag and drop features.

· IOK: Create, edit, and organize groups, recipes, and complete menus directly on the oven or from your computer using Wi-Fi or USB Flash Drive and send them to all connected ovens.

Ventless: no hoods needed.

• The removable catalytic converter allows operators to perform the cleaning without the need for a maintenance service call.


· Independently adjust microwave power, temperature, and impinged air while programming recipes on the oven.

• No side vents, allowing zero side clearance.

• Elegant & Intuitive: Stores unlimited recipes, with their own steps. settings, icons, or photos.

 Temperatures up to 536°F: The impinged air convection technology combined with microwave capabilities enables users to cook food faster than when using traditional processes.

· Heat insulation: prevents the surrounding area from heating up and keeps the surface cool to the touch.



- 2. Resistance (infrared)
- 7. Microwaves
- 4. Impinged Air

3. Stirrer

COOK TIMES

Pastries	25 sec
Sub Sandwiches	40 sec
Breakfast Sandwiches	2 min
Paninis	1 min 10 sec







CAD AND **REVIT FILES**

STANDARD ACCESSORIES







Perforated Basket Wide Mesh

 \checkmark • 1 year warranty for parts and labor, with the exception of naturally worn items.

						FIT E>	KPRESS S	SINGLE MAG				
Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit Breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)	Clearance (Left / back / right side)	Menu C
USA / Canada	208 240	Single	60	2.7 3.1	15	3x10 AWG	• • • • NEMA 6-15	24.4 x 15.2 x 27.3 (") 123.4 lbs .	35.8 x 20.1 x 35.3 (″) 175.7 lbs .	5.2 x 12.4 x 12.1 (″) 0.45 cu.ft	0" / 0" / 0"	BACK TO ME





• 16-inch chamber.

 Capable of handling larger portions, it is ideal for medium and large businesses.

· Stores unlimited recipes with up to 8 steps each, divided into 16 groups.

· USB port for system updates and importing/exporting groups, recipes, and settings.

· Wi-Fi capabilities, enabling remote management for system updates and importing/exporting groups, recipes, and settings via the IOK online platform.

• Adjustable temperature from 86°F (30°C) to 536°F (280°C).

· Independent control of impinged air (high-speed air blast) and microwaves.


- · User-friendly touchscreen panel.
- · Constructed from stainless steel.

 Certified Ventless - no need for vent hoods. Easy-to-remove catalytic converter for hassle-free cleaning.

· Additional functionalities: Test Mode and Favorites.

· Daily cleaning guide with explanatory videos displayed on the screen, demonstrating the step-by-step process.

• Warranty: one (1) year covering manufacturer defects, part failures, and pre-approved labor, and two (2) years on all the heating elements, magnetrons, and blower motor of the oven.



- 2. Resistance (infrared)
- 3. Stirrer
- 4. Impinged Air

6. Blower Motor

7. Microwaves

COOK TIMES

16" Frozen Pizza	3 min 30 sec
3 Sub Sandwiches 16"	50 sec
6 Paninis	1 min 30 sec
5.5 lb Frozen Chicken Wings	5 min
2 lb Frozen Fries	4 min 30 sec









ብ	LEARN
هل	MORE

WATCH THE VIDEO



STANDARD ACCESSORIES



Speed Grill Fit XL

Aluminum Paddle

USB Flash Drive

Cooking Solid Basket

Perforated Basket Wide Mesh

Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit Breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)	Clearance (Left / back / right side)	¢
USA / Canada	208 240	Single	60	6.2 7.0	30	3x10 AWG	• T NEMA 6-30	25.9x 19.2 x 31.3 (″) 180.8 lbs.	35.6 x 23.2 x 37.8 (") 227 lbs	5.5 [.] x16.4 x16.1 (") 0.83 cu.ft	0" / 0" / 0"	

3 ACK TO MENU



The Fit ST high-speed oven features a 12-inch chamber and can be stacked up to two units high. It is designed to efficiently finalize refrigerated, fresh, or frozen foods, such as breakfast sandwiches, chicken wings, muffins, lasagnas, mac & cheese, sub sandwiches, and other partially prepared dishes. Ideal for any business size, the oven delivers excellent flavor, appearance, and crispiness. By combining impinged air and microwaves, it heats, browns, and toasts foods faster than traditional methods.



STACKABLE



Fit ST Black SKU: 990188

Fit ST Black Double Stacked: SKU: 990188-DBL

> Fit ST Silver: SKU: 990163

Fit ST Silver Double Stacked: SKU: 990163-DBL



васк то мели 🐧

• The FIT ST can be stacked up to 2 units (1+1).

· Stores unlimited recipes with up to 8 steps each, divided into 16 groups.

• USB port for system updates and importing/exporting groups, recipes, and settings.

· Wi-Fi capabilities, enabling remote management for system updates and importing/exporting groups, recipes, and settings via the IOK online platform.

• Adjustable temperature from 86°F (30°C) to 536°F (280°C).


• Independent control of impinged air (high-speed air blast) and microwaves.

- User-friendly touchscreen panel.
- · Constructed from stainless steel.
- Certified Ventless no need for vent hoods. Easy-to-remove catalytic converter for hassle-free cleaning.
- · Additional functionalities: Test Mode and Favorites.

· Daily cleaning guide with explanatory videos displayed on the screen, demonstrating the step-by-step process.

• Warranty: one (1) year covering manufacturer defects, part failures, and pre-approved labor, and two (2) years on all the heating elements, magnetrons, and blower motor of the oven.





4. Impinged Air

7. Microwaves

COOK TIMES

Burrito	1 min
8 OZ Frozen Chicken Wings	3 min 30 sec
Ham & Cheese Panini	1 min 15 sec
3 Corn Dogs	1 min 30 sec
Tater Tots	3 min













CAD AND REVIT FILES

STANDARD ACCESSORIES



Speed Grill

Aluminum Paddle

USB Flash Drive Cleaning Kit

Solid Basket

Perforated Basket Wide Mesh

Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit Breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)	Clearance (Left / back / right side)
USA / Canada	208 240	Single	60	6.2 7.0	30	3x10 AWG	NEMA 6-30	16.7 x 20.4 x 27.4 (") 158.7 lbs.	28.4 x 24.4 x 32.5 (°) 207.2 lbs .	5.2 x 12.4 x 12.1 (") 0.45 cu.ft	0" / 0" / 1"

Ð



FORZA STI

Designed to ensure swift and exceptional deliveries, even during peak demands, the Forza Sti proves to be an ideal solution for QSR (Quick Service Restaurants) establishments, as well as pizzerias, bakeries, hotels, kiosks, and convenience stores. The production of pizzas, flatbreads, cookies, and more becomes even better with the Forza STi, ensuring superior appearance, flavor, and textures. The combination of impinged air and infrared radiation allows for heating, browning, or toasting foods faster than traditional methods.



STACKABLE



Forza STi SKU: 990115



Forza STi Double Stacked SKU: 990115-DBL

• Secures consistent results: through precise control, even heat distribution, rapid cooking, built-in sensors, and customization options, ensuring uniform and efficient cooking for reliable outcomes.

• Pizzas up to 16": fresh, or par-baked dough, thin or thick crust.

· Stackable: can be stacked up to two ovens.

• Each cavity has its own independent controls, allowing the temperature to be set individually, up to 626°F each.

• Elegant & Intuitive: stores unlimited recipes, with their own steps, settings, icons, or photos.

• User interface: full-color user-friendly touchscreen display. Drag and drop features.

• Multi-language system: Portuguese, English, Spanish, French, German, Polish, Russian, Mandarin, Greek.

• IOK: Create, edit, and organize groups, recipes, and complete menus directly on the oven or from your computer using Wi-Fi or USB Flash Drive and send them to all connected ovens.


• Ventless: no hoods needed.

• The removable catalytic converter allows operators to perform the cleaning without the need for a maintenance service call.

• Heat insulation: prevents the surrounding area from heating up and keeps the surface cool to the touch.







- 1. Blower Motor4. IR heater
- 2. Impingement Heater 5. Catalytic Converter
- 3. Impinged Air

COOK TIMES

Bruschettas	45 sec
Toasted Sub Sandwhich	55 sec
Fresh Dough 16" Pizza	3 min 30 sec
Half size sheet pan of cookies	10 min
Flatbread Pizza	2 min 15 sec







LEARN MORE

WATCH THE VIDEO

CAD AND REVIT FILES

STANDARD ACCESSORIES



Air Inlet Filter



Cleaning Kit



USB Flash Drive

 ${\cal O}\,$ • 1 year warranty for parts and labor, with the exception of naturally worn items.

Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit Breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)	Clearance (Left / back / right side)
USA / Canada	208 240	Single	60	5.6 7.2	30	3x10 AWG	• • • • • NEMA 6-30	Without feet 13.4 x 27.7 x 31 (°) 148 lbs. With feet 17.4 x 27.7 x 31 (°) 148 lbs.	25.2 x 33.2 x 37.6 (") 209.4 lbs .	3.6 x 18.1 x 17.1 (″) 0.65 cu.ft	0" / 0" / 1"

BACK TO MENU





26

- User interface: full-color user-friendly touchscreen display. Drag and drop features.

- Stores unlimited recipes with up to 8 steps each, divided into 16 groups.

- USB port for system updates and importing/exporting groups, recipes, and settings.

- Wi-Fi capabilities, enabling remote management for system updates and importing/exporting groups, recipes, and settings via the IOK online platform.

- Adjustable temperature from 86°F (30°C) to 536°F (280°C).

- Independent control of impinged air (highspeed air blast), microwaves, and infrared radiation.

- Heat insulation: prevents the surrounding area from heating up and keeps the surface cool to the touch.

- Certified Ventless - no need for vent hoods.

- The removable catalytic converter allows operators to perform the cleaning without the need for a maintenance service call.

- Built-in fixed feet.
- Constructed from stainless steel.
- Additional functionalities: Test Mode and Favorites.

- Daily cleaning guide with explanatory videos displayed on the screen, demonstrating the step-by-step process.


> CERTIFIED

WITH EASILY REMOVABLE CATALYTIC CONVERTER.

(

- 1 -

ANNOUND IN THE OWNER OF THE OWNER OWNER OWNER



3. Impinged Air 6. Microwaves

COOK TIMES

Roasted Brussels Sprouts	2 min 30 sec
French Bread	1 min 30 sec
8" toasted sub	30 sec
Chicken Wings	3 min 30 sec
Chicken Quesadilla	1 min 15 sec







IFARN MORE WATCH THE VIDFO





Aluminum Paddle

Solid Basket



Cleaning Kit USB Flash Drive

 \bigcirc • 1 year warranty for parts and labor, with the exception of naturally worn items.

Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit Breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)	Clearance (Left / back / right side)
USA / Canada	208 240	Single	60	6.2 7.2	30	3x10 AWG	••• ••• NEMA 6-30	25x 20.9 x 31.7 (°) 194 lbs.	34 x 25.2 x 36.2 (″) 250 lbs .	5.7 ⁻ x15.5 x14.2 (") 0.74 cu.ft	0" / 0" / 0"



PRÁTICA'S SMART HIGH-SPEED OVENS THE FUTURE OF COOKING

IOK is the connectivity solution for you to remotely manage, via Wi-Fi, recipes and data from your Prática Oven operation.





MANAGE GROUPS AND RECIPES FROM YOUR COMPUTER

Create, edit, remove, and distribute groups and recipes from the computer to all compatible ovens.



Illustrate recipes with real images of your products.




Always count on system improvements for free, from small adjustments to major updates (such as a new interface or function, for example).

PRATICA IOK USES YOUR WI-FI TO ALLOW FOR SEAMLESS MANAGEMENT OF EQUIPMENT ACROSS MULTIPLE LOCATIONS

Standardize your production and keep track of your ovens even when you are out of your kitchen.





The IOK is 100% included with your oven purchase—no extra cost or monthly payments required.

When using the IOK it allows you to manage your equipment from anywhere, you can monitor and access IOK from anywhere, PC, MAC, mobile, or tablet.



。 》 旦 Manage all your ovens and menus from one place.

Create, edit and organize groups, recipes, and complete menus directly on the oven or from your computer and send to all connected ovens.



Customize the recipe icons with photos of your own dishes.

The IOK helps with the consistency of your recipe programming which allows your menu and recipes to be consistent from start to finish.



Obtain the newest updates on your IOK features, interface, and display configuration directly to your machines- no matter the location



Access the exclusive Cookbook with complete recipe suggestions created by Prática's Chefs.

Get customer support via chat using the IOK platform.





Nothing cleans and protects like Pr/itic/

CLEANING KIT BENEFITS

Specially formulated for Prática High-Speed Ovens

OVEN CLEANER

- Non-caustic, non-corrosive, and non-flammable
- Dissolves heavy soils, carbonized buildup, fat, oil, and grease.
- Use it in commercial kitchens to save time and labor.
- Excellent cleaning and degreasing power.
- Safe for use on aluminum.

OVEN PROTECTOR

• Prevents carbonized buildup, fat, oil, and grease from sticking to oven walls.

- It makes oven cleaning easier, saving time and labor.
 Use it in commercial kitchens to keep ovens looking
- Use it in commercial kitchens to keep ovens looking like new.
- Blend of all GRAS ingredients (GRAS Generally Recognized As Safe by the FDA).



OVEN PROTECTOR

32 fl oz (946 mL)

PRITICA

ser contanta 32 fl oz (946 mL)

OVEN CLEANER



SPEED OVENS ACCESSORIES

Panini Press

SKU:	800552
Dimensions:	11.8" x 11.9" x 2.4"
Compatibility:	Fit Express / Fit SM / Fit ST

Ceramic Stone

SKU:	200102
Dimensions:	12.5" x 14.5" x 0.38"
Compatibility:	Rocket Express

Speed Grill

SKU:	800504	800526	800558	
Dimensions:	13" x 14" x 0.25"	11" x 11" x 0.25"	16" x 16" x 1.38"	
Compatibility:	Rocket Express	Fit Express / Fit SM / Fit ST	Fit XL	

Solid Basket

SKU:	200201	200205	200217	
Dimensions:	13.5" x 13.5" x 1"	11" x 11" x 1"	15" x 15" x 1"	-
Compatibility:	Rocket Express	Fit Express / Fit SM / Fit ST	Fit XL	

Perforated Basket

SKU:	200202	200211	200216	~
Dimensions:	13.5" x 14.5" x 1"	11" x 11" x 1"	15" x 15" x 1"	
Compatibility:	Rocket Express	Fit Express / Fit SM / Fit ST	Fit XL	-

Pizza Screen

SKU:	200602
Dimensions:	14"
Compatibility:	Forza STi

200609 16" Forza STi



Wave Perforated Basket

SKU: 200210

Dimensions: 10.125" x 10.125" x 1.75" Compatibility: Fit Express / FIT SM / FIT ST / FIT XL / Rocket Express







Aluminum Paddle

SKU:	800163	
Dimensions:	12" x 13.5"	
Compatibility:	Rocket Express	

800507 10" x 19" Fit Express / Fit SM / Fit ST

	800560
	14.17" x 25"
•	Fit XL



Aluminum Paddle Forza STi

SKU: 200607 Dimensions: 12" x 29.5" Compatibility: Forza STi

Glass Cleaning Tool

SKU:	618213
Dimensions:	19" x 2"
Compatibility:	Forza STi

Prática Oven Cleaner

SKU:	200902	200902-CS	
Dimensions:	1 bottle	6 bottles per case	
Compatibility:	Rocket Express / Fit Express / FIT SM / Fit ST / Fit XL / Forza STi		

Prática Oven Protector

SKU:	200901	200901-CS
Dimensions:	1 bottle	6 bottles per case
Compatibility:	Rocket Express / Fit Express / FIT SM / Fit ST / Fit XL / Forza STi	

Air Inlet Filter - Right Side

SKU: 753383 Dimensions: Pack with 6 Compatibility: Forza STi









Catalytic Converter

SKU: 631712 Compatibility: _{Rocket Express} 760022 Forza STi

Catalytic Converter

SKU: 634278 Compatibility: Fit Express / Fit SM / Fit ST

Oven Rack

 SKU:
 760200

 Dimensions:
 15" x 10"

 Compatibility:
 Rocket Express

Oven Rack

SKU:	753284
Dimensions:	18" x 15"
Compatibility:	Forza STi

Dual Trigger Sprayer

 SKU:
 200903

 Compatibility:
 Oven Cleaner and Oven Protector Bottles

Cleaning kit

SKU:

- 1 Dual Trigger Sprayer
- 1 Prática Oven Cleaner
- 1 Prática Oven Protector
- 1 Non-scratch Scrub Pad

200907

• 2 Cleaning Towels









WELCOME TO **PRÁTICA**

Prática, founded in 1991, offers cutting-edge equipment for the food preparation market, including an extensive product portfolio in the category of speed ovens. With over 700 employees, including 55 in Research & Development in its fully operational 250,000 sq ft factory located in Minas Gerais, Brazil, where it is the market leader. Additionally, the company has a strong presence in the international market, with branches in the United States and Chile, and exports its products to more than 50 countries.

At Prática, our purpose is to help our customers prepare high-quality food without waste. We understand the crucial role we play in the chain that begins with fields and crops and ends with providing prepared food to people. With our state-of-the-art technology and integrated product solutions, as well as pre-and post-sales support networks, we truly improve our customers' operations in guality food preparation, productivity, and profitability.


A well-aligned team, driven by strong values and a positive vision for the future, is propelling Prática towards an increasingly prominent position in the world.











QUALITY FOOD WITHOUT WASTE







WELL-BEING

PRODUCTIVITY

Charles and the transferrer

SUSTAINABILITY

ACK TO MENI




OUR

PURPOSE



PRESENT IN OVER **50** COUNTRIES



COVERAGE FOR SALES AND SERVICE IN ALL **50** STATES



- * Nationwide parts distribution Partstown USA
- * Nationwide Service Network NSC
- * Nationwide Sales coverage by independent sales representatives







Prática Products Inc. warranties all high-speed ovens for a period of one (1) year covering manufacturer defects, part failures, and pre-approved labor, and two (2) years on all the heating elements, magnetrons, and blower motor of the oven. The warranty period starts on the installation day.

The warranty excludes user abuse, ordinary wear, tear, and other conditions described in full in the product user's manual.



Prática Products Inc. provides the most economical ground transportation possible, consistent with guaranteed freight and minimal terminal switching. Any special request, as in residential delivery, lift gate, or phone appointment, will have an additional charge. Prática Products Inc. imposes no hidden mark-ups; all freight charges are passed through the customer at our cost.

Any missing product, loss, or damage in shipment must be reported to Prática Products Inc. and the delivery common carrier immediately on receipt of shipment, and noted on the delivery receipt.

Shipments should be inspected before accepting delivery; if any damage is noticed, shipment should be refused. Any concealed damage noticed within 2 days of accepting delivery should be reported by consignee to the common carrier. Freight claims are the responsibility of the cosigner.

For information on terms and conditions please use the following QR code.



TERMS AND CONDITIONS

All prices are quoted in \$ U.S. dollars and are subject to change without notice. State sales tax will be added to the invoice if resale tax certificate is not on file.

Terms are net 30-days upon approved and established credit. Prices are quoted F.O.B from our warehouse in Lewisville, TX. Prática Products Inc. reserves the right to review, accept, or reject all purchase orders.

Purchase orders are only considered valid after written acknowledgement is received by the customer.

Prática Products Inc. reserves the right to change or modify the design, specification and substitute materials in construction of any product manufactured without notice.

All product dimensions are nominal and are subject to change.

RETURN POLICY

Any missing product, loss, or damage in shipment must be reported to Prática Products Inc. and the delivery common carrier immediately on receipt of shipment, and noted on the delivery receipt.

Shipments should be inspected before accepting delivery; if any damage is noticed, shipment should be refused. Any concealed damage noticed within 2 days of accepting delivery should be reported by consignee to the common carrier. Freight claims are the responsibility of the cosigner.

Unless Prática agrees otherwise, specifically in writing, sales are final. Returns of products will not be accepted unless Prática has provided written authorization. Returns are subject to a 25% restocking fee of the total order.



Prática Products, Inc. - USA 911 E State Hwy 121 Business, #101 - Lewisville, TX 75057 – USA

www.praticausa.com

