


Cookbook

FOOD TRUCK



PRÁTICA
HIGH SPEED OVENS

Prática's High-Speed Ovens

Elevating culinary excellence for food trucks

- **Lightning-fast cooking times for efficient service in fast-paced food truck environments**
- **Streamlined operations to handle high volumes without compromising on taste**
- **Versatile cooking capabilities for a wide range of delectable dishes on-the-go**
- **Precise temperature and humidity control for consistent and mouthwatering results**
- **Advanced safety features such as cool-touch surfaces and automated shut-off mechanisms, ensure a secure cooking environment**
- **Energy-efficient design supports sustainability and cost savings**

Expand your menu, maximize your profits, and minimize your operational costs.





Prática's ventless smart high-speed ovens have a compact design that makes them a perfect fit for food trucks, optimizing space and allowing every inch of your kitchen to be utilized efficiently. Our ovens are durable, functional, and visually appealing, adding a touch of sophistication to your mobile kitchen.

Whether it's pizzas, Mexican cuisine, Chinese food, or any other culinary theme you embrace, our ovens are designed to bring out the best in every type of cuisine.




Our expert team is available to assist you in ongoing support, troubleshooting, and recipe refinement. You can expand your food truck menu using one of our high-speed ovens, maximizing profits and minimizing operational costs.

Operating our high-speed ovens is effortless, empowering you to swiftly serve mouthwatering dishes. Once your personalized settings and recipes are established, simply select the desired recipe from the intuitive interface. The oven will seamlessly execute the recipe, ensuring consistent quality and flavors that perfectly complement your food truck offerings.



Explore the possibilities, and showcase your unique flavors. Unleash your creativity and embark on a culinary journey that will keep foodies coming back for more.



This cookbook has been curated with recipes tailored specifically for our high-speed ovens, considering the atmosphere of food trucks. It serves as a valuable starting point by offering you settings based on the recipes tested in our kitchen.

You have the flexibility to customize cooking parameters according to your preferences, empowering you to achieve the perfect textures and flavors envisioned for your business.

These recipes are not only examples but also sources of inspiration. Feel free to create additional recipes with different flavors and variations, aligning them with your food truck's unique menu.

On each page, you will find:

- A picture illustrating the featured food item
- The precise settings used for preparing that food item on each recommended high-speed oven
- A direct link to the recipe page on our website, providing more details and authentic pictures of the results achieved in our test kitchen
- An additional link to a short video showcasing the high-speed oven in action, specifically demonstrating that particular recipe.

Our expert team is available to assist you in ongoing support, troubleshooting, and recipe refinement.



INDEX

FOOD

- 6 Pizza by the slice
- 7 Whole pizzas
- 8 Pastas
- 9 Gnocchi
- 10 Mac & cheese
- 11 Tacos
- 12 Burritos
- 13 Quesadillas
- 14 Nachos
- 15 Sandwiches
- 16 Honey Chicken
- 17 Pad Thai
- 18 Pork rib
- 19 Cookies

HIGH SPEED OVENS

- 20 Fit Express
 - 22 Fit SM
 - 24 Fit XL
 - 26 Fit ST
 - 28 Forza STI
 - 30 Rocket Express
-
- 32 IOK - Internet of Kitchen
 - 34 Cleaning products/Accessories
 - 38 Company
 - 42 Price list and warranty





Pizza by the slice

Reheat a single pizza slice in just 15 seconds or even bake a single slice from frozen dough to perfection in only 50 seconds. Our high-speed ovens are incredibly versatile, and customizable, allowing you to meet various preferences and needs.

[LEARN MORE](#)

[WATCH THE VIDEO](#)

Settings for baking a frozen slice:

FIT EXPRESS

1°	100%
0:50sec	30% 536°F

ROCKET EXPRESS

1°	100%
0:50sec	30% 100% 536°F

[BACK TO MENU](#)



Whole Pizzas

The Forza STi can flawlessly bake a 16" pizza from fresh dough in just 3 minutes, while the FIT Express works its magic on a 12" pizza from frozen in only 2 minutes. Our high-speed ovens can cater to various pizza toppings, allowing your business to customize and meet the unique preferences of your menu.

Settings for baking a 16" fresh dough pizza:

FORZA STi

1°	5% 
	85% 
1min30sec	626°F 

2°	55% 
	80% 
1min30sec	626°F 

 [LEARN MORE](#)

 [WATCH THE VIDEO](#)

 BACK TO MENU



Pastas

[> LEARN MORE](#)

[> WATCH THE VIDEO](#)

From classic favorites to customized creations, our high-speed ovens offer unparalleled versatility for pasta and lasagna dishes. With quick and efficient cooking, you can reduce customer wait times and serve up delicious meals in no time.

Settings for baking a 10.5 oz frozen lasagna:

FIT EXPRESS

1°	0%
0:30sec	50% 500°F

2°	0%
0:30sec	60% 500°F

3°	0%
0:30sec	60% 500°F

4°	0%
0:30sec	60% 500°F

5°	10%
0:30sec	60% 500°F

6°	20%
0:30sec	70% 500°F

7°	50%
0:30sec	60% 500°F

8°	50%
0:30sec	50% 500°F

ROCKET EXPRESS

1°	0%
0:30sec	50% 10% 500°F

2°	0%
0:30sec	60% 10% 500°F

3°	0%
0:30sec	60% 20% 500°F

4°	0%
0:30sec	60% 20% 500°F

5°	10%
0:30sec	60% 30% 500°F

6°	20%
0:30sec	70% 40% 500°F

7°	50%
0:30sec	60% 50% 500°F

8°	50%
0:30sec	50% 50% 500°F

BACK TO MENU



Gnocchi

[LEARN MORE](#)

[WATCH THE VIDEO](#)

Finish pre-cooked gnocchi in no time with our high-speed ovens, offering quick and efficient cooking that reduces customer wait times while serving up delicious meals that leave them craving for more.

Settings for finishing a 13 oz-portion of pre-cooked frozen Gnocchi:

FIT EXPRESS

1°	0%
0:45sec	60% 500°F

2°	0%
0:45sec	80% 500°F

3°	20%
0:30sec	60% 500°F

ROCKET EXPRESS

1°	0%
0:45sec	60% 40% 500°F

2°	0%
0:45sec	80% 40% 500°F

3°	20%
0:30sec	60% 50% 500°F

BACK TO MENU



Mac & Cheese

Serve up creamy, comforting mac and cheese in no time to your customers. Whether your menu has the classic version or customized recipe creations, our high-speed ovens offer unparalleled versatility to cater to every taste, keeping your menu's identity.

[LEARN MORE](#)

[WATCH THE VIDEO](#)

Settings for finishing a 24 oz-portion of pre-cooked Mac & Cheese:

FIT EXPRESS

1°	0% 🔥
🕒 2min	80% 🌡️ 500°F

ROCKET EXPRESS

1°	0% 🔥
🕒 2min	80% 🌡️ 10% 📺 500°F

[BACK TO MENU](#)



Tacos

Our high-speed ovens effortlessly melt cheese in tacos, while keeping the tortillas crunchy or soft, according to the customer's preference. Additionally, all the other ingredients are perfectly warm, creating a delectable taco experience that caters to your menu.

[LEARN MORE](#)

[WATCH THE VIDEO](#)

Settings for baking
8 chicken tacos:

FIT EXPRESS

1°	50%
 1min	40%
	500°F

ROCKET EXPRESS

1°	50%
 1min	40%
	40%
	500°F

[BACK TO MENU](#)



Burritos

Our ventless smart high-speed ovens expertly warm burritos, ensuring the tortilla stays soft and the fillings are perfectly heated. With precise control over the cooking process, each bite offers a delicious combination of flavors and textures.

[LEARN MORE](#)

[WATCH THE VIDEO](#)

Settings for 2 breakfast burritos:

FIT EXPRESS

1°	0%
0:30sec	70% 500°F

2°	10%
0:30sec	70% 500°F

ROCKET EXPRESS

1°	0%
0:30sec	100% 500°F

2°	10%
0:30sec	40% 500°F

[BACK TO MENU](#)



Quesadillas

The tortillas become crispy on the outside while the cheese melts to ooey-gooey perfection. The result is a mouthwatering quesadilla with a perfect blend of textures and flavors. Whether it's a classic cheese quesadilla or one packed with delicious fillings, our high-speed ovens ensure a quick and delicious treat that will have your customers coming back for more.

[LEARN MORE](#)

[WATCH THE VIDEO](#)

Settings for a cheese quesadilla:

FIT EXPRESS

1°	70%
0:35sec	40% 530°F

2°	70%
0:35sec	40% 530°F

ROCKET EXPRESS

1°	70%
0:35sec	40% 60% 531°F

2°	70%
0:35sec	40% 60% 531°F

BACK TO MENU



Nachos

With precise heating settings, our high-speed ovens excel at melting cheese, warming toppings, and maintaining the crispiness of tortilla chips. Each bite of our delicious nachos offers a perfect blend of flavors and textures.

Settings for heating up nachos:

FIT EXPRESS

1°	90%
1min	30%
	500°F

ROCKET EXPRESS

1°	90%
1min	30%
	60%
	500°F

[LEARN MORE](#)

[WATCH THE VIDEO](#)

[BACK TO MENU](#)



Sandwiches

Whether it's a classic grilled cheese, an Italian sub, or a savory steak sandwich, our high-speed ovens ensure outstanding results. With precise heating, the cheese melts to perfection, the fillings are warmed to enhance their flavors, and the bread is toasted to a delightful crunch. Every bite is a symphony of taste and texture that will satisfy your customers' sandwich cravings.

[LEARN MORE](#)

[WATCH THE VIDEO](#)

Settings for a refrigerated 12" sub sandwich:

FIT EXPRESS

1°	80%
0:40sec	40%
	500°F

ROCKET EXPRESS

1°	80%
0:40sec	40%
	60%
	500°F

BACK TO MENU



Honey Chicken

Prepare honey chicken in advance and reheat it using our high-speed ovens for a fresh and delicious experience. The chicken retains its tender and juicy texture, and the sauce preserves its vibrant flavors.

Settings for a 22 oz honey chicken portion:

FIT EXPRESS

1°	10%	2°	40%
	80%		70%
1min	500°F	0:30sec	500°F

ROCKET EXPRESS

1°	10%	2°	40%
	80%		50%
1min	500°F	0:30sec	500°F

[LEARN MORE](#)

[WATCH THE VIDEO](#)

[BACK TO MENU](#)



Pad Thai

Prepare Pad Thai in advance and reheat it when your customers order. It will taste as fresh as if it was just made, with the meat remaining tender and the vegetables maintaining their crispiness. Embrace the convenience of pre-preparation while delivering the authentic flavors of this classic Thai dish to your customers.

Settings for 2 individual portions of 8.81 OZ each:

FIT EXPRESS

1°	0% 🔥	2°	0% 🔥
🕒	80% 🔥	🕒	70% 🔥
1min	500°F 🌡️	0:45sec	500°F 🌡️

ROCKET EXPRESS

1°	0% 🔥	2°	0% 🔥
🕒	80% 🔥	🕒	70% 🔥
1min	30% 📺	0:45sec	20% 📺
	500°F 🌡️		500°F 🌡️

[LEARN MORE](#)

[WATCH THE VIDEO](#)

[BACK TO MENU](#)



Pork rib

[LEARN MORE](#)

[WATCH THE VIDEO](#)

High-speed ovens can quickly heat and finish the pre-cooked barbecue, reducing the waiting time for customers. This means faster service, which is essential for food trucks with limited space and high customer turnover. With precise temperature control, the steak is finished to perfection, tender and juicy, while retaining its natural flavors.

Settings for finishing a fully cooked pork rib:

FIT EXPRESS

1°	10%	500°F
1min	60%	500°F

2°	50%	500°F
0:30sec	50%	500°F

3°	70%	500°F
0:30sec	40%	500°F

ROCKET EXPRESS

1°	10%	500°F
1min	60%	500°F

2°	50%	500°F
0:30sec	40%	500°F

3°	70%	500°F
0:30sec	40%	500°F

BACK TO MENU



Cookies

Easily bake a batch of perfect cookies with our high-speed ovens. Simply place the cookie dough on the tray, and watch as multiple units of delicious cookies bake to perfection. Enjoy the aroma of freshly baked cookies filling the air, enticing your customers with their irresistible scent.

Settings for baking 12 cookies:

FORZA STi

1°	10% 
	35% 
5min	350°F 

2°	25% 
	25% 
4min	350°F 

 LEARN MORE

 WATCH THE VIDEO

BACK TO MENU 



FIT EXPRESS

The Fit Express high-speed oven is designed for efficiently finalizing refrigerated, fresh, or frozen foods, such as breakfast sandwiches, chicken wings, muffins, lasagnas, mac & cheese, sub sandwiches, and other partially prepared dishes. It delivers excellent flavor, appearance, and crispiness. The combination of impinged air and microwaves allows for heating, browning, or toasting foods faster than traditional methods.




FIT EXPRESS BLACK
SKU: 990136



FIT EXPRESS ORANGE
SKU: 990145

FIT EXPRESS ORANGE

- Fits on 15.2" width countertops and cooks 12" pizzas.
- User interface: full-color user-friendly touchscreen display. Drag and drop features.
- iOK: Create, edit, and organize groups, recipes, and complete menus directly on the oven or from your computer using Wi-Fi or USB Flash Drive and send them to all connected ovens.
- Multi-language system: Portuguese, English, Spanish, French, German, Polish, Russian, Mandarin, Greek.
- Ventless: no hoods needed.
- The removable catalytic converter allows operators to perform the cleaning without the need for a maintenance service call.
- Secures consistent results: through precise control, even heat distribution, rapid cooking, built-in sensors, and customization options, ensuring uniform and efficient cooking for reliable outcomes.
- Independently adjust microwave power, temperature, and impinged air while programming recipes on the oven.
- No side vents, allowing zero side clearance.
- Elegant & Intuitive: Stores unlimited recipes, with their own steps, settings, icons, or photos.
- Temperatures up to 536°F: The impinged air convection technology combined with microwave capabilities enables users to cook food faster than when using traditional processes.
- Heat insulation: prevents the surrounding area from heating up and keeps the surface cool to the touch.



- 1. Magnetron
- 2. Resistance (infrared)
- 3. Stirrer
- 4. Impinged Air
- 5. Catalytic Converter
- 6. Blower Motor
- 7. Microwaves

COOK TIMES

Chicken Wings Bone-In	3 min 30 sec
Ham & Cheese Panini	55 sec
Mozzarella Sticks	1 min 45 sec
Italian Sub	55 sec
Breakfast Biscuit	1 min 30 sec



LEARN MORE



WATCH THE VIDEO



CAD AND REVIT FILES

STANDARD ACCESSORIES



• **1 year warranty** for parts and labor, with the exception of naturally worn items.

FIT EXPRESS DOUBLE MAG											
Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit Breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)	Clearance (Left / back / right side)
USA / Canada	208 240	Single	60	6.2 7.0	30	3x10 AWG	 NEMA 6-30	25.9 x 15.2 x 27.3 (") 147.7 lbs.	35.8 x 20.1 x 35.3 (") 200 lbs.	5.2 x 12.4 x 12.1 (") 0.45 cu.ft	0" / 0" / 0"



FIT SM


S I N G L E M A G

The Fit Express Single Mag high-speed oven is designed for efficiently finalizing refrigerated, or fresh food items, such as breakfast sandwiches, pizzas, sub sandwiches, pastries and more! It delivers excellent flavor, appearance, and crispiness. The combination of impinged air and microwaves allows for heating, browning, or toasting foods faster than traditional methods. The Fit Express SM is not recommended for frozen food.



FIT SM SILVER
SKU: 990170

- Ideal for fresh or refrigerated food items. Not recommended for frozen food.
- Energy efficient: It is designed to be energy-efficient, so you save money on electricity comparing to other models.
- Fits on 15.2" width countertops and cooks 12" pizzas and sandwiches.
- User interface: full-color user-friendly touchscreen display. Drag and drop features.
- IOK: Create, edit, and organize groups, recipes, and complete menus directly on the oven or from your computer using Wi-Fi or USB Flash Drive and send them to all connected ovens.
- Ventless: no hoods needed.
- The removable catalytic converter allows operators to perform the cleaning without the need for a maintenance service call.
- Independently adjust microwave power, temperature, and impinged air while programming recipes on the oven.
- No side vents, allowing zero side clearance.
- Elegant & Intuitive: Stores unlimited recipes, with their own steps, settings, icons, or photos.
- Temperatures up to 536°F: The impinged air convection technology combined with microwave capabilities enables users to cook food faster than when using traditional processes.
- Heat insulation: prevents the surrounding area from heating up and keeps the surface cool to the touch.



- 1. Magnetron
- 2. Resistance (infrared)
- 3. Stirrer
- 4. Impinged Air
- 5. Catalytic Converter
- 6. Blower Motor
- 7. Microwaves

COOK TIMES

Pastries	25 sec
Sub Sandwiches	40 sec
Breakfast Sandwiches	2 min
Paninis	1 min 10 sec



LEARN MORE



CAD AND REVIT FILES

STANDARD ACCESSORIES



• 1 year warranty for parts and labor, with the exception of naturally worn items.

FIT EXPRESS SINGLE MAG											
Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit Breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)	Clearance (Left / back / right side)
USA / Canada	208 240	Single	60	2.7 3.1	15	3x10 AWG	 NEMA 6-15	24.4 x 15.2 x 27.3 (") 123.4 lbs.	35.8 x 20.1 x 35.3 (") 175.7 lbs.	5.2 x 12.4 x 12.1 (") 0.45 cu.ft	0" / 0" / 0"

BACK TO MENU



FIT XL

The Fit XL high-speed oven features a 16-inch chamber and is designed to efficiently finalize refrigerated, fresh, or frozen foods, such as breakfast sandwiches, chicken wings, muffins, lasagnas, mac & cheese, sub sandwiches, and other partially prepared dishes. Capable of handling larger portions, it is ideal for medium and large businesses. The FIT XL delivers excellent flavor, appearance, and crispiness. By combining impinged air and microwaves, it heats, browns, and toasts foods faster than traditional methods.




FIT XL BLACK
SKU: 990200



FIT XL SILVER
SKU: 990179



- 16-inch chamber.
- Capable of handling larger portions, it is ideal for medium and large businesses.
- Stores unlimited recipes with up to 8 steps each, divided into 16 groups.
- USB port for system updates and importing/exporting groups, recipes, and settings.
- Wi-Fi capabilities, enabling remote management for system updates and importing/exporting groups, recipes, and settings via the IOK online platform.
- Adjustable temperature from 86°F (30°C) to 536°F (280°C).
- Independent control of impinged air (high-speed air blast) and microwaves.
- User-friendly touchscreen panel.
- Constructed from stainless steel.
- Certified Ventless – no need for vent hoods. Easy-to-remove catalytic converter for hassle-free cleaning.
- Additional functionalities: Test Mode and Favorites.
- Daily cleaning guide with explanatory videos displayed on the screen, demonstrating the step-by-step process.
- Warranty: one (1) year covering manufacturer defects, part failures, and pre-approved labor, and two (2) years on all the heating elements, magnetrons, and blower motor of the oven.



1. Magnetron
2. Resistance (infrared)
3. Stirrer
4. Impinged Air
5. Catalytic Converter
6. Blower Motor
7. Microwaves

COOK TIMES

16" Frozen Pizza	3 min 30 sec
3 Sub Sandwiches 16"	50 sec
6 Paninis	1 min 30 sec
5.5 lb Frozen Chicken Wings	5 min
2 lb Frozen Fries	4 min 30 sec



CERTIFIED
VENTLESS
WITH EASILY REMOVABLE
CATALYTIC CONVERTER.



LEARN MORE




WATCH THE VIDEO



CAD AND REVIT FILES

STANDARD ACCESSORIES



Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit Breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)	Clearance (Left / back / right side)
USA / Canada	208 240	Single	60	6.2 7.0	30	3x10 AWG		25.9 x 19.2 x 31.3 (") 180.8 lbs.	35.6 x 23.2 x 37.8 (") 227 lbs	5.5 x 16.4 x 16.1 (") 0.83 cu.ft	0" / 0" / 0"



FITST

The Fit ST high-speed oven features a 12-inch chamber and can be stacked up to two units high. It is designed to efficiently finalize refrigerated, fresh, or frozen foods, such as breakfast sandwiches, chicken wings, muffins, lasagnas, mac & cheese, sub sandwiches, and other partially prepared dishes. Ideal for any business size, the oven delivers excellent flavor, appearance, and crispiness. By combining impinged air and microwaves, it heats, browns, and toasts foods faster than traditional methods.



STACKABLE



Fit ST Black
SKU: 990188


Fit ST Black Double Stacked:
SKU: 990188-DBL

Fit ST Silver:
SKU: 990163

Fit ST Silver Double Stacked:
SKU: 990163-DBL



- The FIT ST can be stacked up to 2 units (1+1).
- Stores unlimited recipes with up to 8 steps each, divided into 16 groups.
- USB port for system updates and importing/exporting groups, recipes, and settings.
- Wi-Fi capabilities, enabling remote management for system updates and importing/exporting groups, recipes, and settings via the IOK online platform.
- Adjustable temperature from 86°F (30°C) to 536°F (280°C).
- Independent control of impinged air (high-speed air blast) and microwaves.
- User-friendly touchscreen panel.
- Constructed from stainless steel.
- Certified Ventless – no need for vent hoods. Easy-to-remove catalytic converter for hassle-free cleaning.
- Additional functionalities: Test Mode and Favorites.
- Daily cleaning guide with explanatory videos displayed on the screen, demonstrating the step-by-step process.
- Warranty: one (1) year covering manufacturer defects, part failures, and pre-approved labor, and two (2) years on all the heating elements, magnetrons, and blower motor of the oven.



- 1. Magnetron
- 2. Resistance (infrared)
- 3. Stirrer
- 4. Impinged Air
- 5. Catalytic Converter
- 6. Blower Motor
- 7. Microwaves

COOK TIMES

Burrito	1 min
8 OZ Frozen Chicken Wings	3 min 30 sec
Ham & Cheese Panini	1 min 15 sec
3 Corn Dogs	1 min 30 sec
Tater Tots	3 min



LEARN MORE



WATCH THE VIDEO



CAD AND REVIT FILES

STANDARD ACCESSORIES



Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit Breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)	Clearance (Left / back / right side)
USA / Canada	208 240	Single	60	6.2 7.0	30	3x10 AWG	NEMA 6-30	16.7 x 20.4 x 27.4 (") 158.7 lbs.	28.4 x 24.4 x 32.5 (") 207.2 lbs.	5.2 x 12.4 x 12.1 (") 0.45 cu.ft	0" / 0" / 1"



FORZA STi

Designed to ensure swift and exceptional deliveries, even during peak demands, the Forza Sti proves to be an ideal solution for QSR (Quick Service Restaurants) establishments, as well as pizzerias, bakeries, hotels, kiosks, and convenience stores. The production of pizzas, flatbreads, cookies, and more becomes even better with the Forza STi, ensuring superior appearance, flavor, and textures. The combination of impinged air and infrared radiation allows for heating, browning, or toasting foods faster than traditional methods.



STACKABLE




Forza STi
SKU: 990115



Forza STi Double Stacked
SKU: 990115-DBL

- Secures consistent results: through precise control, even heat distribution, rapid cooking, built-in sensors, and customization options, ensuring uniform and efficient cooking for reliable outcomes.
- Pizzas up to 16": fresh, or par-baked dough, thin or thick crust.
- Stackable: can be stacked up to two ovens.
- Each cavity has its own independent controls, allowing the temperature to be set individually, up to 626°F each.
- Elegant & Intuitive: stores unlimited recipes, with their own steps, settings, icons, or photos.
- User interface: full-color user-friendly touchscreen display. Drag and drop features.
- Multi-language system: Portuguese, English, Spanish, French, German, Polish, Russian, Mandarin, Greek.
- IOK: Create, edit, and organize groups, recipes, and complete menus directly on the oven or from your computer using Wi-Fi or USB Flash Drive and send them to all connected ovens.
- Ventless: no hoods needed.
- The removable catalytic converter allows operators to perform the cleaning without the need for a maintenance service call.
- Heat insulation: prevents the surrounding area from heating up and keeps the surface cool to the touch.



1. Blower Motor
2. Impingement Heater
3. Impinged Air
4. IR heater
5. Catalytic Converter

COOK TIMES

Bruschettas	45 sec
Toasted Sub Sandwich	55 sec
Fresh Dough 16" Pizza	3 min 30 sec
Half size sheet pan of cookies	10 min
Flatbread Pizza	2 min 15 sec

CERTIFIED
VENTLESS
WITH EASILY REMOVABLE
CATALYTIC CONVERTER.



⊕ OPTIONAL ADJUSTABLE FEET



LEARN MORE



WATCH THE VIDEO



CAD AND REVIT FILES

STANDARD ACCESSORIES



Aluminum Paddle

Cleaning Tool

Pizza Screen



Cleaning Kit

Air Inlet Filter

USB Flash Drive

✓ • 1 year warranty for parts and labor, with the exception of naturally worn items.

Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit Breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)	Clearance (Left / back / right side)
USA / Canada	208	Single	60	5.6	30	3x10 AWG		Without feet 13.4 x 27.7 x 31 (") 148 lbs.	25.2 x 33.2 x 37.6 (") 209.4 lbs.	3.6 x 18.1 x 17.1 (") 0.65 cu.ft	0" / 0" / 1"
	240			With feet 17.4 x 27.7 x 31 (") 148 lbs.							



ROCKET EXPRESS

The Rocket Express high-speed oven is recommended for quickly finishing refrigerated, fresh, or frozen foods, like breakfast sandwiches, chicken wings, muffins, lasagnas, mac & cheese, sub sandwiches, and other partially prepared foods, yielding excellent flavor, appearance, and crisp results. The combination of impinged air, microwaves, and infrared radiation allows for heating, browning, or toasting foods faster than traditional methods. Ideal for larger portions. Its spacious interior provides ample room for cooking larger quantities of food, making it well-suited for situations requiring higher capacity.




EASY OPERATION

SKU: 990043



BACK TO MENU

- User interface: full-color user-friendly touchscreen display. Drag and drop features.
- Stores unlimited recipes with up to 8 steps each, divided into 16 groups.
- USB port for system updates and importing/exporting groups, recipes, and settings.
- Wi-Fi capabilities, enabling remote management for system updates and importing/exporting groups, recipes, and settings via the IOK online platform.
- Adjustable temperature from 86°F (30°C) to 536°F (280°C).
- Independent control of impinged air (highspeed air blast), microwaves, and infrared radiation.
- Heat insulation: prevents the surrounding area from heating up and keeps the surface cool to the touch.
- Certified Ventless – no need for vent hoods.
- The removable catalytic converter allows operators to perform the cleaning without the need for a maintenance service call.
- Built-in fixed feet.
- Constructed from stainless steel.
- Additional functionalities: Test Mode and Favorites.
- Daily cleaning guide with explanatory videos displayed on the screen, demonstrating the step-by-step process.



- 1. Blower Motor
- 2. Catalytic Converter
- 3. Impinged Air
- 4. Impingement Heater
- 5. IR Heater
- 6. Microwaves

COOK TIMES

Roasted Brussels Sprouts	2 min 30 sec
French Bread	1 min 30 sec
8" toasted sub	30 sec
Chicken Wings	3 min 30 sec
Chicken Quesadilla	1 min 15 sec

CERTIFIED
VENTLESS

WITH EASILY REMOVABLE
CATALYTIC CONVERTER.



LEARN MORE



WATCH THE VIDEO



CAD AND REVIT FILES



Aluminum Paddle



Speed Grill



Solid Basket



Cleaning Kit



USB Flash Drive

• **1 year warranty** for parts and labor, with the exception of naturally worn items.

Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit Breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)	Clearance (Left / back / right side)
USA / Canada	208 240	Single	60	6.2 7.2	30	3x10 AWG	 NEMA 6-30	25x 20.9 x 31.7 (") 194 lbs.	34 x 25.2 x 36.2 (") 250 lbs.	5.7 x 15.5 x 14.2 (") 0.74 cu.ft	0" / 0" / 0"

BACK TO MENU

IOK

INTERNET OF KITCHEN

PRÁTICA'S SMART HIGH-SPEED OVENS THE FUTURE OF COOKING

IOK is the connectivity solution for you to remotely manage, via Wi-Fi, recipes and data from your Prática Oven operation.



**MANAGE GROUPS
AND RECIPES FROM
YOUR COMPUTER**

Create, edit, remove, and distribute groups and recipes from the computer to all compatible ovens.



**CUSTOMIZE THE
DISPLAY IMAGE OF
RECIPES**

Illustrate recipes with real images of your products.



**RECEIVE SOFTWARE
UPDATES**

Always count on system improvements for free, from small adjustments to major updates (such as a new interface or function, for example).

PRÁTICA IOK USES YOUR WI-FI TO ALLOW FOR SEAMLESS MANAGEMENT OF EQUIPMENT ACROSS MULTIPLE LOCATIONS

Standardize your production and keep track of your ovens even when you are out of your kitchen.



All our touchscreen models now come with Wi-Fi capabilities and are connected to the IOK.



The IOK is 100% included with your oven purchase—no extra cost or monthly payments required.



When using the IOK it allows you to manage your equipment from anywhere, you can monitor and access IOK from anywhere, PC, MAC, mobile, or tablet.



Manage all your ovens and menus from one place.



Create, edit and organize groups, recipes, and complete menus directly on the oven or from your computer and send to all connected ovens.



Customize the recipe icons with photos of your own dishes.



The IOK helps with the consistency of your recipe programming which allows your menu and recipes to be consistent from start to finish.



Obtain the newest updates on your IOK features, interface, and display configuration directly to your machines- no matter the location



Access the exclusive Cookbook with complete recipe suggestions created by Prática's Chefs.



Get customer support via chat using the IOK platform.



Nothing
cleans and
protects like
Prática



CLEANING KIT BENEFITS

Specially formulated for Prática High-Speed Ovens

OVEN CLEANER

- Non-caustic, non-corrosive, and non-flammable
- Dissolves heavy soils, carbonized buildup, fat, oil, and grease.
- Use it in commercial kitchens to save time and labor.
- Excellent cleaning and degreasing power.
- Safe for use on aluminum.

OVEN PROTECTOR

- Prevents carbonized buildup, fat, oil, and grease from sticking to oven walls.
- It makes oven cleaning easier, saving time and labor.
- Use it in commercial kitchens to keep ovens looking like new.
- Blend of all GRAS ingredients (GRAS - Generally Recognized As Safe by the FDA).



CLEANING
GUIDES

FIT EXPRESS



FIT XL



FIT ST



FORZA STI



ROCKET
EXPRESS



BACK TO MENU

SPEED OVENS ACCESSORIES

Panini Press

SKU: 800552
Dimensions: 11.8" x 11.9" x 2.4"
Compatibility: Fit Express / Fit SM / Fit ST



Ceramic Stone

SKU: 200102
Dimensions: 12.5" x 14.5" x 0.38"
Compatibility: Rocket Express




Speed Grill

SKU: 800504	800526	800558
Dimensions: 13" x 14" x 0.25"	11" x 11" x 0.25"	16" x 16" x 1.38"
Compatibility: Rocket Express	Fit Express / Fit SM / Fit ST	Fit XL



Solid Basket

SKU: 200201	200205	200217
Dimensions: 13.5" x 13.5" x 1"	11" x 11" x 1"	15" x 15" x 1"
Compatibility: Rocket Express	Fit Express / Fit SM / Fit ST	Fit XL



Perforated Basket

SKU: 200202	200211	200216
Dimensions: 13.5" x 14.5" x 1"	11" x 11" x 1"	15" x 15" x 1"
Compatibility: Rocket Express	Fit Express / Fit SM / Fit ST	Fit XL



Pizza Screen

SKU: 200602	200609
Dimensions: 14"	16"
Compatibility: Forza STi	Forza STi



Wave Perforated Basket

SKU: 200210
Dimensions: 10.125" x 10.125" x 1.75"
Compatibility: Fit Express / FIT SM / FIT ST / FIT XL / Rocket Express



Aluminum Paddle

SKU:	800163	800507	800560
Dimensions:	12" x 13.5"	10" x 19"	14.17" x 25"
Compatibility:	Rocket Express	Fit Express / Fit SM / Fit ST	Fit XL



Aluminum Paddle Forza STi

SKU:	200607
Dimensions:	12" x 29.5"
Compatibility:	Forza STi



Glass Cleaning Tool

SKU:	618213
Dimensions:	19" x 2"
Compatibility:	Forza STi



Prática Oven Cleaner

SKU:	200902	200902-CS
Dimensions:	1 bottle	6 bottles per case
Compatibility:	Rocket Express / Fit Express / FIT SM / Fit ST / Fit XL / Forza STi	



Prática Oven Protector

SKU:	200901	200901-CS
Dimensions:	1 bottle	6 bottles per case
Compatibility:	Rocket Express / Fit Express / FIT SM / Fit ST / Fit XL / Forza STi	



Air Inlet Filter - Right Side

SKU:	753383
Dimensions:	Pack with 6
Compatibility:	Forza STi



Catalytic Converter

SKU: 631712 | 760022
Compatibility: Rocket Express | Forza STi



Catalytic Converter

SKU: 634278
Compatibility: Fit Express / Fit SM / Fit ST



Oven Rack

SKU: 760200
Dimensions: 15" x 10"
Compatibility: Rocket Express



Oven Rack

SKU: 753284
Dimensions: 18" x 15"
Compatibility: Forza STi



Dual Trigger Sprayer

SKU: 200903
Compatibility: Oven Cleaner and Oven Protector Bottles



Cleaning kit

SKU: 200907

- 1 Dual Trigger Sprayer
- 1 Prática Oven Cleaner
- 1 Prática Oven Protector
- 1 Non-scratch Scrub Pad
- 2 Cleaning Towels





WELCOME TO **PRÁTICA**


Prática, founded in 1991, offers cutting-edge equipment for the food preparation market, including an extensive product portfolio in the category of speed ovens. With over 700 employees, including 55 in Research & Development in its fully operational 250,000 sq ft factory located in Minas Gerais, Brazil, where it is the market leader. Additionally, the company has a strong presence in the international market, with branches in the United States and Chile, and exports its products to more than 50 countries.

At Prática, our purpose is to help our customers prepare high-quality food without waste. We understand the crucial role we play in the chain that begins with fields and crops and ends with providing prepared food to people. With our state-of-the-art technology and integrated product solutions, as well as pre-and post-sales support networks, we truly improve our customers' operations in quality food preparation, productivity, and profitability.

A well-aligned team, driven by strong values and a positive vision for the future, is propelling Prática towards an increasingly prominent position in the world.



OUR VALUES



QUALITY FOOD WITHOUT WASTE

OUR PURPOSE




MANUFACTURING PLANT
State of Minas Gerais - Brazil

PRESENT IN OVER 50 COUNTRIES



COVERAGE FOR SALES AND SERVICE IN ALL **50** STATES



- * Nationwide parts distribution - Partstown USA
- * Nationwide Service Network - NSC
- * Nationwide Sales coverage by independent sales representatives



PRICE LIST



ACCESSORIES AND
CONSUMABLES
BUY ONLINE



WARRANTY

Prática Products Inc. warranties all high-speed ovens for a period of one (1) year covering manufacturer defects, part failures, and pre-approved labor, and two (2) years on all the heating elements, magnetrons, and blower motor of the oven. The warranty period starts on the installation day.

The warranty excludes user abuse, ordinary wear, tear, and other conditions described in full in the product user's manual.



FREIGHT AND SHIPPING

Prática Products Inc. provides the most economical ground transportation possible, consistent with guaranteed freight and minimal terminal switching. Any special request, as in residential delivery, lift gate, or phone appointment, will have an additional charge. Prática Products Inc. imposes no hidden mark-ups; all freight charges are passed through the customer at our cost.

Any missing product, loss, or damage in shipment must be reported to Prática Products Inc. and the delivery common carrier immediately on receipt of shipment, and noted on the delivery receipt.

Shipments should be inspected before accepting delivery; if any damage is noticed, shipment should be refused. Any concealed damage noticed within 2 days of accepting delivery should be reported by consignee to the common carrier. Freight claims are the responsibility of the cosigner.

*For information on terms and conditions
please use the following QR code.*



TERMS AND CONDITIONS

All prices are quoted in \$ U.S. dollars and are subject to change without notice. State sales tax will be added to the invoice if resale tax certificate is not on file.

Terms are net 30-days upon approved and established credit. Prices are quoted F.O.B from our warehouse in Lewisville, TX. Prática Products Inc. reserves the right to review, accept, or reject all purchase orders.

Purchase orders are only considered valid after written acknowledgement is received by the customer.

Prática Products Inc. reserves the right to change or modify the design, specification and substitute materials in construction of any product manufactured without notice.

All product dimensions are nominal and are subject to change.

RETURN POLICY

Any missing product, loss, or damage in shipment must be reported to Prática Products Inc. and the delivery common carrier immediately on receipt of shipment, and noted on the delivery receipt.

Shipments should be inspected before accepting delivery; if any damage is noticed, shipment should be refused. Any concealed damage noticed within 2 days of accepting delivery should be reported by consignee to the common carrier. Freight claims are the responsibility of the cosigner.

Unless Prática agrees otherwise, specifically in writing, sales are final. Returns of products will not be accepted unless Prática has provided written authorization. Returns are subject to a 25% restocking fee of the total order.

Prática

HIGH SPEED OVENS

Prática Products, Inc. - USA

911 E State Hwy 121 Business, #101 - Lewisville, TX 75057 – USA

www.praticausa.com

 [praticausa](#)  [praticaus](#)  [praticausa](#)  [praticahighspeedovens](#)

 Info@praticausa.com  +1 214-584-6269