# Cookbook

HOTELS AND RESORTS





# Prática's High-Speed Ovens

Elevate your culinary experience at hotels, resorts, cruises and pool bars!

- Lightning-fast cooking times for swift service in the vibrant atmosphere of hotels, resorts, cruises, and pool bars
- Streamlined operations to effortlessly handle high volumes without compromising on excellence
- Versatile cooking capabilities for a diverse range of delectable creations
- Precise temperature and humidity control for consistently mouthwatering results
- Advanced safety features ensure a secure and worry-free cooking environment
- Energy-efficient design promotes sustainability and reduces costs

Expand your menu, maximize your profits, and minimize your operational costs.













Experience fast service with top-quality food, all in a spacesaving design with no vent hoods required. Our ventless smart high-speed ovens can prepare various food items flawlessly, even under high demands. With just two buttons, your operators can start cooking, ensuring efficiency and consistent results.

Prática's high-speed ovens infuse a touch of culinary magic into your hotel, resort, cruise, or pool bar. Elevate your offerings, captivate your guests, and create unforgettable moments that will have them returning for more. Embrace the sophistication and indulgence of our ovens as you embark on a culinary journey that sets your establishment apart from the rest.

This cookbook has been curated with recipes tailored specifically for our high-speed ovens, considering the atmosphere of hotels, resorts, cruises, and pool bars. It serves as a valuable starting point by offering you settings based on the recipes tested in our kitchen.

You have the flexibility to customize cooking parameters according to your preferences, empowering you to achieve the perfect textures and flavors envisioned for your business.

These recipes are not only examples but also sources of inspiration. Feel free to create additional recipes with different flavors and variations, aligning them with your unique menu.

On each page, you will find:

- A picture illustrating the featured food item
- The precise settings used for preparing that food item on each recommended high-speed oven
- A direct link to the recipe page on our website, providing more details and authentic pictures of the results achieved in our test kitchen
- An additional link to a short video showcasing the highspeed oven in action, specifically demonstrating that particular recipe.

Our expert team is available to assist you in ongoing support, troubleshooting, and recipe refinement.



### **INDEX**


### FOOD

6	Pastries	16	Fresh fish
7	Breakfast Sandwich	17	Grilled Veggies
8	Whole Pizzas	18	Pork rib
9	Pizza by the slice	19	Pancakes
10	Personal size pizza	20	Waffles
11	Flatbreads	21	Chicken Wings
12	Lasagnas	22	Hamburgers
13	Gnocchi	23	Hot Dogs
14	Mac & Cheese	24	Nachos
15	Sandwiches	25	French Fries

### HIGH SPEED OVENS

- **26** Fit Express
- 28 Fit SM
- 30 Fit XL
- 32 Fit ST
- **34** Forza STI
- 36 Rocket Express
- 38 IOK Internet of Kitchen
- 40 Cleaning products/Accessories
- **44** Company
- 48 Price list and warranty





## **Pastries**


Freshly warmed pastries. Our high-speed ovens efficiently heat refrigerated pastries, ensuring quick and fresh serving. Your customers will enjoy the enticing aroma and delicious taste of these delightful treats.





## Settings for warming up 2 chocolate croissants:

FIT EXPRESS



1º	50% \\
	10% <del>Š</del>
Ŏ	80%
0:35sec	500°F <b>↓</b>





### **Breakfast Sandwich**


Crispy bread, melted cheese, and flavorful fillings create a mouthwatering dish. These sandwiches are quick, convenient, and satisfying. Reduce waste by storing them frozen or refrigerated and utilize our high-speed ovens for fresh, made-to-order sandwiches.





## Settings for 4 refrigerated breakfast sandwiches:

FIT EXPRESS











## **Whole Pizzas**


The Forza STi can flawlessly bake a 16" pizza from fresh dough in just 3 minutes, while the FIT Express works its magic on a 12" pizza from frozen in only 2 minutes. Our high-speed ovens can cater to various pizza toppings, allowing your business to customize and meet the unique preferences of your menu.





## Settings for baking a 16"fresh dough pizza:

FORZA STI



55%	ttt
80%	
626°F	
	80%





## Pizza by the slice


Reheat a single pizza slice in just 15 seconds or even bake a single slice from frozen dough to perfection in only 50 seconds. Our high-speed ovens are incredibly versatile, and customizable, allowing you to meet various preferences and needs. Each pizza slice served will be a delicious delight, leaving your customers craving more.





## Settings for baking a frozen slice:

### FIT EXPRESS



### ROCKET







## Personal size pizza


The FIT Express works its magic on a personalsize pizza from frozen in only 1 minute and 45 seconds. Our high-speed ovens can cater to various pizza toppings, allowing your business to customize and meet the unique preferences of your menu.





Settings for baking a frozen personal-size pizza:

### FIT EXPRESS



10	100%	ttt
	50%	<u> </u>
Ŏ	100%	
1min45sec	500°F	





## **Flatbreads**


The thin and crispy crust is toasted to golden-brown perfection, while the toppings are heated just right. Whether you prefer traditional or innovative combinations, our ovens deliver consistent and delicious results.





## Settings for baking a frozen flatbread focaccia style (unthaw first):





### FORZA STI

1º	15%	ttt
Ö	80%	
1min30sec	626°F	

<b>2</b> °	60%	ttt
Ğ	75%	
0:45sec	626°F	





## Lasagnas






From classic favorites to customized creations, our high-speed ovens offer unparalleled versatility for pasta and lasagna dishes. With quick and efficient cooking, you can reduce customer wait times and serve up delicious meals in no time.

### Settings for baking a 10.5 oz frozen lasagna:

#### FIT EXPRESS





















### Gnocchi






Finish pre-cooked gnocchi in no time with our high-speed ovens, offering quick and efficient cooking that reduces customer wait times while serving up delicious meals that leave them craving for more.

### Settings for finishing a 13 oz-portion of pre-cooked frozen Gnocchi:


### FIT EXPRESS







### ROCKET











### Mac & Cheese


Serve up creamy, comforting mac and cheese in no time to your customers. Whether your menu has the classic version or customized recipe creations, our high-speed ovens offer unparalleled versatility to cater to every taste, keeping your menu's identity.






Settings for finishing a 24 oz-portion of pre-cooked Mac & Cheese:

### FIT EXPRESS









## **Sandwiches**


Whether it's a classic grilled cheese, an Italian sub, or a savory steak sandwich, our high-speed ovens ensure outstanding results. With precise heating, the cheese melts to perfection, the fillings are warmed to enhance their flavors, and the bread is toasted to a delightful crunch.





## Settings for a refrigerated 12" sub sandwich:

### FIT EXPRESS



### ROCKET

1º	80% \\\\
Ğ	40% <del>≤</del> 60% <b>□</b>
0:40sec	500°F





## Fresh fish

Sometimes your guests require more than a snack – they need a nutritious meal. Our high-speed ovens make it possible. With precise cooking, fish retains its flavors and moisture, while developing a crispy exterior. Whether it's salmon, cod, or other seafood, our ovens consistently deliver exceptional results.





### **Settings for a grilled Salmon:**

### FIT EXPRESS



1º	20% (	<b>2</b> °	10% \
	60% <del>Č</del>		50% <del>Č</del>
*		*	
Ō	50%	Ō	50%
1min	536°F	1min	500°F ↓





## **Grilled Veggies**





With efficient cooking, the veggies retain their natural flavors, textures, and nutrients. From roasted root vegetables to grilled asparagus, our ovens ensure that every vegetable dish is cooked to perfection, offering a healthy and delicious choice for your guests.

### **Settings for grilled veggies:**

### FIT EXPRESS



<b>2</b> °	80% (((
Ğ	20% ⋛
1min	500°F ▮

3°	70% !!!
Ğ	20% ≅
0:30sec	500°F ▮

1°	70%	ttt
	30%	<u>ٽ</u>
Ğ	100%	
1min	500°F	

<b>2</b> °	80% (((
	20% ⋛
Ō	100%
1min	500°F







## Pork rib

Our ventless smart high-speed ovens bring the barbecue taste to your business. With precise temperature control, the steak is finished to perfection, tender and juicy, while retaining its natural flavors.





### Settings for finishing a fully cooked pork rib:

### FIT EXPRESS



<b>2</b> °	50% \
Ğ	<b>50%</b> <u>≅</u>
0:30sec	500°F



1º	10%	
Ġ	60%	
1min	40% 500°F	_







## **Pancakes**


Our high-speed ovens turn frozen pancakes into warm and fluffy delights. Your customers will enjoy the comforting aroma and delicious taste as each pancake cooks to perfection. Quick and efficient, these pancakes are a convenient option.





## Settings for reheating 6 frozen pancakes:

### FIT EXPRESS



### ROCKET

1º	30% \
	60% <del>Š</del>
Ğ	80%
0:30sec	500°F





## **Waffles**

Quick and convenient, these waffles are a tasty option for a satisfying breakfast. Utilize our high-speed ovens to efficiently heat and revive frozen waffles, serving your customers with speed and efficiency. Improve your breakfast menu with these tempting treats, minimizing waste by storing them frozen until ready to serve.





## Settings for reheating 4 frozen waffles:

FIT EXPRESS





1º	50% (((
Ġ	20% <del>≤</del> 70% □
0:30sec	500°F ₽





## **Chicken Wings**

Our high-speed ovens transform 10 frozen wings into delicious, mouthwatering, ready-to-eat perfection in just 3:30 min. Say goodbye to long waits and hello to crispy, tender, flavor-packed wings that will have your customers coming back for more. And the best part? No oil is needed, making it a healthier option for everyone to enjoy.





## Settings for baking 8 pre-cooked chicken wings:

### FIT EXPRESS



2°	100%	ttt	
Ğ	30%	ತ	
30sec	525°F		

1º	100%	
	60%	٣
Ŏ	100%	
2min15sec	525°F	

<b>2</b> °	100%	
	30%	3
Ŏ	100%	
30sec	525°F	





## **Hamburgers**


You can prepare the patties in advance and reheat them on demand, ensuring they taste just as fresh as the moment they were cooked. Experience juicy fillings and perfectly crisp buns with each bite, all thanks to our precise temperature control. Embrace the convenience of pre-preparation without compromising on the authentic flavors that make these classic favorites truly exceptional.





Settings for reheating 4 fully cooked patties, with the cheese and the buns:

FIT EXPRESS



ROCKET

1º	50% 🔱
Ġ	30% <del>≤</del> 70% □
0:45sec	500°F





## **Hot Dogs**


Prepare these classic favorites in advance and reheat them on demand, guaranteeing that each bite is as delicious and fresh as can be. Our ovens' precise temperature control ensures the juicy weiners and soft buns stay perfectly warm and ready to serve. Impress your customers with quick service and delectable taste.





### **Settings for 2 hot dogs:**

### FIT EXPRESS



### ROCKET

1º	0% (((
Ğ	40% <del>≤</del> 10% <b>□</b>
1min	500°F ₽





## **Nachos**

With precise heating settings, our high-speed ovens excel at melting cheese, warming toppings, and maintaining the crispiness of tortilla chips. Each bite of our delicious nachos offers a perfect blend of flavors and textures.





## Settings for heating up loaded nachos:

FIT EXPRESS



1°	90% \
	30% ⋛
Ō	60%
1min	500°F <b>↓</b>





## **French Fries**

With our ventless high-speed ovens, frozen French fries become crispy and golden in no time. They're perfectly cooked on the outside and tender on the inside. No need for a large kitchen or complex ventilation systems. Plus, no extra oil is needed, making it a healthier choice for all.





### **Settings for baking frozen french fries:**

FIT EXPRESS



<b>2</b> °	70%	ttt
Ġ	10%	نخ
1min10sec	500°F	

1º	70%	* * * *
Ō	40% 100%	
2min45sec	500°F	

<b>2</b> °	70%	
Ğ	10% 100%	$\stackrel{\smile}{-}$
1min10sec	500°F	




combination of impinged air and microwaves allows for heating, browning, or toasting foods faster than traditional methods.



**FIT EXPRESS BLACK** SKU: 990136

**FIT EXPRESS ORANGE** SKU: 990145

- User interface: full-color user-friendly touchscreen display. Drag and drop features.
- IOK: Create, edit, and organize groups, recipes, and complete menus directly on the oven or from your computer using Wi-Fi or USB Flash Drive and send them to all connected ovens.
- Multi-language system: Portuguese, English, Spanish, French, German, Polish, Russian, Mandarin, Greek.
- · Ventless: no hoods needed.
- The removable catalytic converter allows operators to perform the cleaning without the need for a maintenance service call.
- Secures consistent results: through precise control, even heat distribution, rapid cooking, built-in sensors, and customization options, ensuring uniform and efficient cooking for reliable outcomes.
- Independently adjust microwave power, temperature, and impinged air while programming recipes on the oven.
- · No side vents, allowing zero side clearance.
- Elegant & Intuitive: Stores unlimited recipes, with their own steps, settings, icons, or photos.
- Temperatures up to 536°F: The impinged air convection technology combined with microwave capabilities enables users to cook food faster than when using traditional processes.
- Heat insulation: prevents the surrounding area from heating up and keeps the surface cool to the touch.



1. Magnetron

5. Catalytic Converter

2. Resistance (infrared)

6. Blower Motor

3. Stirrer

7. Microwaves

4. Impinged Air

#### **COOK TIMES**

Chicken Wings Bone-In	3 min 30 sec
Ham & Cheese Panini	55 sec
Mozzarella Sticks	1 min 45 sec
Italian Sub	55 sec
Breakfast Biscuit	1 min 30 sec















#### STANDARD ACCESSORIES







Cleaning Kit




USB Flash Drive





Solid

Perforated Basket Wide Mesh




						FIT EX	(PRESS <b>D</b>	OUBLE MAG			
Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit Breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)	Clearance (Left / back / right
USA / Canada	208 240	Single	60	6.2 7.0	30	3x10 AWG		25.9 x 15.2 x 27.3 (") 147.7 lbs.	35.8 x 20.1 x 35.3 (") <b>200 lbs</b> .	5.2 x 12.4 x 12.1 (") <b>0.45 cu.ft</b>	0"/0"/0"







- Energy efficient: It is designed to be energy-efficient, so you save money on electricity comparing to other models.
- Fits on 15.2" width countertops and cooks 12" pizzas and sandwiches.
- User interface: full-color user-friendly touchscreen display. Drag and drop features.
- IOK: Create, edit, and organize groups, recipes, and complete menus directly on the oven or from your computer using Wi-Fi or USB Flash Drive and send them to all connected ovens.
- · Ventless: no hoods needed.
- The removable catalytic converter allows operators to perform the cleaning without the need for a maintenance service call.
- Independently adjust microwave power, temperature, and impinged air while programming recipes on the oven.
- · No side vents, allowing zero side clearance.
- Elegant & Intuitive: Stores unlimited recipes, with their own steps, settings, icons, or photos.
- Temperatures up to 536°F: The impinged air convection technology combined with microwave capabilities enables users to cook food faster than when using traditional processes.
- Heat insulation: prevents the surrounding area from heating up and keeps the surface cool to the touch.



1. Magnetron

5. Catalytic Converter

2. Resistance (infrared)

6. Blower Motor

3. Stirrer

7. Microwaves

4. Impinged Air

#### **COOK TIMES**

<b>25</b> sec
40 sec
2 min
1 min 10 sec











#### STANDARD ACCESSORIES







Cleaning Kit



USB Flash Drive





Perforated Basket Wide Mesh



						FIT E	(PRESS <b>S</b>	INGLE MAG			
Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit Breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)	Clearance (Left / back / right
USA / Canada	208 240	Single	60	2.7 3.1	15	3x10 AWG		24.4 x 15.2 x 27.3 (") 123.4 lbs.	35.8 x 20.1 x 35.3 (") 175.7 lbs.	5.2 x 12.4 x 12.1 (") <b>0.45 cu.ft</b>	0"/0"/0"






impinged air and microwaves, it heats, browns, and toasts foods faster than traditional methods.





**FIT XL SILVER** SKU: 990179

- · 16-inch chamber.
- Capable of handling larger portions, it is ideal for medium and large
- · Stores unlimited recipes with up to 8 steps each, divided into 16 groups.
- · USB port for system updates and importing/exporting groups, recipes, and settings.
- Wi-Fi capabilities, enabling remote management for system updates and importing/exporting groups, recipes, and settings via the IOK online platform.
- Adjustable temperature from 86°F (30°C) to 536°F (280°C).
- · Independent control of impinged air (high-speed air blast) and microwaves.
- · User-friendly touchscreen panel.
- · Constructed from stainless steel.
- Certified Ventless no need for vent hoods. Easy-to-remove catalytic converter for hassle-free cleaning.
- · Additional functionalities: Test Mode and Favorites.
- Daily cleaning guide with explanatory videos displayed on the screen, demonstrating the step-by-step process.
- Warranty: one (1) year covering manufacturer defects, part failures, and pre-approved labor, and two (2) years on all the heating elements, magnetrons, and blower motor of the oven.



- 1. Magnetron
- 2. Resistance (infrared)
- Stirrer
- 4. Impinged Air
- 5. Catalytic Converter
- 6. Blower Motor
- 7. Microwaves

#### **COOK TIMES**

16" Frozen Pizza	3 min 30 sec
3 Sub Sandwiches 16"	50 sec
6 Paninis	1 min 30 sec
5.5 lb Frozen Chicken Wings	5 min
2 lb Frozen Fries	4 min 30 sec















#### STANDARD ACCESSORIES













Speed Grill Fit XL

Aluminum Paddle

Cleaning Kit

USB Flash Drive

Cooking Solid

Perforated Basket Wide Mesh

Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit Breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)	Clearance (Left / back / right side)
USA / Canada	208 240	Single	60	6.2 7.0	30	3x10 AWG	NFMA 6-30	25.9x 19.2 x 31.3 (*) <b>180.8 lbs.</b>	35.6 x 23.2 x 37.8 (") <b>227 lbs</b>	5.5 x16.4 x16.1 (") <b>0.83 cu.ft</b>	0" / 0" / 0"

NEMA 6-30



### **STACKABLE**



Fit ST Black

SKU: 990188

Fit ST Black Double Stacked:

SKU: 990188-DBL

Fit ST Silver:

SKU: 990163


Fit ST Silver Double Stacked:

SKU: 990163-DBL



- The FIT ST can be stacked up to 2 units (1+1).
- · Stores unlimited recipes with up to 8 steps each, divided into 16 groups.
- USB port for system updates and importing/exporting groups, recipes, and settings.
- · Wi-Fi capabilities, enabling remote management for system updates and importing/exporting groups, recipes, and settings via the IOK online platform.
- Adjustable temperature from 86°F (30°C) to 536°F (280°C).
- Independent control of impinged air (high-speed air blast) and
- · User-friendly touchscreen panel.
- · Constructed from stainless steel.
- Certified Ventless no need for vent hoods. Easy-to-remove catalytic converter for hassle-free cleaning.
- · Additional functionalities: Test Mode and Favorites.
- Daily cleaning guide with explanatory videos displayed on the screen, demonstrating the step-by-step process.
- Warranty: one (1) year covering manufacturer defects, part failures, and pre-approved labor, and two (2) years on all the heating elements, magnetrons, and blower motor of the oven.





- 1. Magnetron
- 2. Resistance (infrared)
- 3. Stirrer
- 4. Impinged Air
- 5. Catalytic Converter
- 6. Blower Motor
- 7. Microwaves

#### **COOK TIMES**

Burrito	1 min
8 OZ Frozen Chicken	Wings 3 min 30 sec
Ham & Cheese Panin	1 min 15 sec
3 Corn Dogs	1 min 30 sec
Tater Tots	3 min













#### STANDARD ACCESSORIES





Aluminum



Cleaning Kit



USB Flash Drive





Solid

Perforated Basket

Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit Breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)	Clearance (Left / back / right side)
USA / Canada	208 240	Single	60	6.2 7.0	30	3x10 AWG	■ — NEMA 6-30	16.7 x 20.4 x 27.4 (") <b>158.7 lbs.</b>	28.4 x 24.4 x 32.5 (") <b>207.2 lbs</b> .	5.2 x 12.4 x 12.1 (") <b>0.45 cu.ft</b>	0" / 0" / 1"



## FORZA STI

Designed to ensure swift and exceptional deliveries, even during peak demands, the Forza Sti proves to be an ideal solution for QSR (Quick Service Restaurants) establishments, as well as pizzerias, bakeries, hotels, kiosks, and convenience stores. The production of pizzas, flatbreads, cookies, and more becomes even better with the Forza STi, ensuring superior appearance, flavor, and textures. The combination of impinged air and infrared radiation allows for heating, browning, or toasting foods faster than traditional methods.




### **STACKABLE**



Forza STi SKU: 990115




Forza STi Double Stacked SKU: 990115-DBL



- · Stackable: can be stacked up to two ovens.
- Each cavity has its own independent controls, allowing the temperature to be set individually, up to 626°F each.
- Elegant & Intuitive: stores unlimited recipes, with their own steps, settings, icons, or photos.
- User interface: full-color user-friendly touchscreen display. Drag and drop features.
- Multi-language system: Portuguese, English, Spanish, French, German, Polish, Russian, Mandarin, Greek.
- IOK: Create, edit, and organize groups, recipes, and complete menus directly on the oven or from your computer using Wi-Fi or USB Flash Drive and send them to all connected ovens.
- · Ventless: no hoods needed.
- The removable catalytic converter allows operators to perform the cleaning without the need for a maintenance service call.
- Heat insulation: prevents the surrounding area from heating up and keeps the surface cool to the touch.







1. Blower Motor

4. IR heater

2. Impingement Heater

5. Catalytic Converter

3. Impinged Air

#### **COOK TIMES**

Bruschettas	45 sec
Toasted Sub Sandwhich	55 sec
Fresh Dough 16" Pizza	3 min 30 sec
Half size sheet pan of cookies	10 min
Flatbread Pizza	2 min 15 sec









Cleaning Kit



WATCH THE VIDEO




USB Flash Drive

#### STANDARD ACCESSORIES




Air Inlet Filter



Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit Breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)	Clearance (Left / back / right side)
USA / Canada	208 240	Single	60	5.6 7.2	30	3x10 AWG	••	Without feet 13.4 x 27.7 x 31 (*) 148 lbs. With feet	25.2 x 33.2 x 37.6 (") <b>209.4 lbs</b> .	3.6 x 18.1 x 17.1 (") <b>0.65 cu.f</b> t	0"/0"/1"

17.4 x 27.7 x 31 (")

NEMA 6-30



# ROCKET EXPRESS

The Rocket Express high-speed oven is recommended for quickly finishing refrigerated, fresh, or frozen foods, like breakfast sandwiches, chicken wings, muffins, lasagnas, mac & cheese, sub sandwiches, and other partially prepared foods, yielding excellent flavor, appearance, and crisp results. The combination of impinged air, microwaves, and infrared radiation allows for heating, browning, or toasting foods faster than traditional methods. Ideal for larger portions. Its spacious interior provides ample room for cooking larger quantities of food, making it well-suited for situations requiring higher capacity.




### **EASY OPERATION**

SKU: 990043



- Stores unlimited recipes with up to 8 steps each, divided into 16 groups.
- USB port for system updates and importing/exporting groups, recipes, and settings.
- Wi-Fi capabilities, enabling remote management for system updates and importing/exporting groups, recipes, and settings via the IOK online platform.
- Adjustable temperature from 86°F (30°C) to 536°F (280°C).
- Independent control of impinged air (highspeed air blast), microwaves, and infrared radiation.
- Heat insulation: prevents the surrounding area from heating up and keeps the surface cool to the touch.
- Certified Ventless no need for vent hoods.
- The removable catalytic converter allows operators to perform the cleaning without the need for a maintenance service call.
- Built-in fixed feet.
- Constructed from stainless steel.
- Additional functionalities: Test Mode and Favorites.
- Daily cleaning guide with explanatory videos displayed on the screen, demonstrating the step-by-step process.





1. Blower Motor

4. Impingement Heater

2. Catalytic Converter

5. IR Heater

3. Impinged Air

6. Microwaves

#### **COOK TIMES**

Roasted Brussels Sprouts	2 min 30 sec
French Bread	1 min 30 sec
8" toasted sub	30 sec
Chicken Wings	3 min 30 sec
Chicken Quesadilla	1 min 15 sec



















Aluminum Paddle

Speed Grill


Solid Basket





Cleaning Kit

USB Flash Drive



Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit Breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)	Clearance (Left / back / right side)
USA / Canada	208 240	Single	60	6.2 7.2	30	3x10 AWG	NEMA 6-30	25 x 20.9 x 31.7 (*) 194 lbs.	34 x 25.2 x 36.2 (") <b>250 lbs</b> .	5.7·x15.5 x14.2 (") <b>0.74 cu.ft</b>	0" / 0" / 0"



## PRÁTICA'S SMART HIGH-SPEED OVENS THE FUTURE OF COOKING

IOK is the connectivity solution for you to remotely manage, via Wi-Fi, recipes and data from your Prática Oven operation.





MANAGE GROUPS AND RECIPES FROM YOUR COMPUTER

Create, edit, remove, and distribute groups and recipes from the computer to all compatible ovens.



CUSTOMIZE THE DISPLAY IMAGE OF RECIPES

Illustrate recipes with real images of your products.



RECEIVE SOFTWARE UPDATES

Always count on system improvements for free, from small adjustments to major updates (such as a new interface or function, for example).

## CK TO MENII

## PRATICA IOK USES YOUR WI-FI TO ALLOW FOR SEAMLESS MANAGEMENT OF EQUIPMENT ACROSS MULTIPLE LOCATIONS

Standardize your production and keep track of your ovens even when you are out of your kitchen.





All our touchscreen models now come with Wi-Fi capabilities and are connected to the IOK.



The IOK is 100% included with your oven purchase—no extra cost or monthly payments required.



When using the IOK it allows you to manage your equipment from anywhere, you can monitor and access IOK from anywhere, PC, MAC, mobile, or tablet.



Manage all your ovens and menus from one place.



Create, edit and organize groups, recipes, and complete menus directly on the oven or from your computer and send to all connected ovens.



Customize the recipe icons with photos of your own dishes.



The IOK helps with the consistency of your recipe programming which allows your menu and recipes to be consistent from start to finish.



Obtain the newest updates on your IOK features, interface, and display configuration directly to your machines- no matter the location



Access the exclusive Cookbook with complete recipe suggestions created by Prática's Chefs.



Get customer support via chat using the IOK platform.







#### **CLEANING KIT BENEFITS**

Specially formulated for Prática High-Speed Ovens

#### **OVEN CLEANER**

- · Non-caustic, non-corrosive, and non-flammable
- Dissolves heavy soils, carbonized buildup, fat, oil, and grease.
- Use it in commercial kitchens to save time and labor.
- Excellent cleaning and degreasing power.
- Safe for use on aluminum.

#### **OVEN PROTECTOR**

- Prevents carbonized buildup, fat, oil, and grease from sticking to oven walls.
- It makes oven cleaning easier, saving time and labor.
- Use it in commercial kitchens to keep ovens looking like new.
- Blend of all GRAS ingredients (GRAS Generally Recognized As Safe by the FDA).





**FIT** EXPRESS









CLEANING **GUIDES** 











#### SPFFD OVENS ACCESSORIES

#### **Panini Press**

SKU: 800552

Dimensions: 11.8" x 11.9" x 2.4"

Compatibility: Fit Express / Fit SM / Fit ST



#### **Ceramic Stone**

SKU: 200102

Dimensions: 12.5" x 14.5" x 0.38"

Compatibility: Rocket Express



#### **Speed Grill**

SKU: 800504 800526 800558

Dimensions: 13" x 14" x 0.25" 11" x 11" x 0.25" 16" x 16" x 1.38"

Compatibility: Rocket Express | Fit Express / Fit SM / Fit ST | Fit XL



#### **Solid Basket**

 SKU:
 200201
 200205
 200217

 Dimensions:
 13.5" x 13.5" x 1"
 11" x 11" x 1"
 15" x 15" x 1"

 Compatibility:
 Rocket Express
 Fit Express / Fit SM / Fit ST
 Fit XL



#### **Perforated Basket**

 SKU:
 200202
 200211
 200216

 Dimensions:
 13.5"x14.5"x1"
 11" x 11" x 1"
 15" x 15" x 1"

Compatibility: Rocket Express | Fit Express / Fit SM / Fit ST | Fit XL



#### Pizza Screen

SKU: 200602 200609

Dimensions: 14" 16"

Compatibility: Forza STi Forza STi



#### **Wave Perforated Basket**

SKU: 200210

Dimensions: 10.125" x 10.125" x 1.75"

Compatibility: Fit Express / FIT SM / FIT ST / FIT XL / Rocket Express



#### **Aluminum Paddle**

 SKU:
 800163
 800507
 800560

 Dimensions:
 12" x 13.5"
 10" x 19"
 14.17" x 25"

 Compatibility:
 Rocket Express
 Fit Express / Fit SM / Fit ST
 Fit XL



#### **Aluminum Paddle Forza STi**

SKU: 200607
Dimensions: 12" x 29.5"
Compatibility: Forza STi



#### **Glass Cleaning Tool**

SKU: 618213

Dimensions: 19" x 2"

Compatibility: Forza STi



#### **Prática Oven Cleaner**

SKU: 200902 200902-CS

Dimensions: 1 bottle 6 bottles per case

 $\textbf{Compatibility:} \ \ \mathsf{Rocket} \ \mathsf{Express/Fit} \ \mathsf{Express/FITSM/FitST/FitXL/Forza} \ \mathsf{STi}$ 



#### **Prática Oven Protector**

SKU: 200901 200901-CS

Dimensions: 1 bottle 6 bottles per case

Compatibility: Rocket Express / Fit Express / FIT SM / Fit ST / Fit XL / Forza STi



#### Air Inlet Filter - Right Side

SKU: 753383

Dimensions: Pack with 6

Compatibility: Forza STi



#### **Catalytic Converter**

SKU: 631712 760022
Compatibility: Rocket Express Forza STi



#### **Catalytic Converter**

SKU: 634278

Compatibility: Fit Express / Fit SM / Fit ST



#### **Oven Rack**

SKU: 760200
Dimensions: 15" x 10"
Compatibility: Rocket Express



#### **Oven Rack**

SKU: 753284
Dimensions: 18" x 15"
Compatibility: Forza STi



#### **Dual Trigger Sprayer**

SKU: 200903

Compatibility: Oven Cleaner and Oven Protector Bottles



#### **Cleaning kit**

SKU: 200907

- 1 Dual Trigger Sprayer
- 1 Prática Oven Cleaner
- 1 Prática Oven Protector
- 1 Non-scratch Scrub Pad
- 2 Cleaning Towels





### WELCOME TO **PRÁTICA**

Prática, founded in 1991, offers cutting-edge equipment for the food preparation market, including an extensive product portfolio in the category of speed ovens. With over 700 employees, including 55 in Research & Development in its fully operational 250,000 sq ft factory located in Minas Gerais, Brazil, where it is the market leader. Additionally, the company has a strong presence in the international market, with branches in the United States and Chile, and exports its products to more than 50 countries.

At Prática, our purpose is to help our customers prepare high-quality food without waste. We understand the crucial role we play in the chain that begins with fields and crops and ends with providing prepared food to people. With our state-of-the-art technology and integrated product solutions, as well as pre-and post-sales support networks, we truly improve our customers' operations in quality food preparation, productivity, and profitability.

A well-aligned team, driven by strong values and a positive vision for the future, is propelling Prática towards an increasingly prominent position in the world.











## OUR **VALUES**



## OUR **PURPOSE**

#### **QUALITY FOOD** WITHOUT WASTE







WELL-BEING


PRODUCTIVITY

SUSTAINABILITY



## K TO MENU

### PRESENT IN OVER 50 COUNTRIES



## BACK TO MENU

# COVERAGE FOR SALES AND SERVICE IN ALL **50** STATES



- \* Nationwide parts distribution Partstown USA
- \* Nationwide Service Network NSC
- \* Nationwide Sales coverage by independent sales representatives







Prática Products Inc. warranties all high-speed ovens for a period of one (1) year covering manufacturer defects, part failures, and pre-approved labor, and two (2) years on all the heating elements, magnetrons, and blower motor of the oven. The warranty period starts on the installation day.

The warranty excludes user abuse, ordinary wear, tear, and other conditions described in full in the product user's manual.



Prática Products Inc. provides the most economical ground transportation possible, consistent with guaranteed freight and minimal terminal switching. Any special request, as in residential delivery, lift gate, or phone appointment, will have an additional charge. Prática Products Inc. imposes no hidden mark-ups; all freight charges are passed through the customer at our cost.

Any missing product, loss, or damage in shipment must be reported to Prática Products Inc. and the delivery common carrier immediately on receipt of shipment, and noted on the delivery receipt.

Shipments should be inspected before accepting delivery; if any damage is noticed, shipment should be refused. Any concealed damage noticed within 2 days of accepting delivery should be reported by consignee to the common carrier. Freight claims are the responsibility of the cosigner.

For information on terms and conditions please use the following QR code.



### TERMS AND CONDITIONS

All prices are quoted in \$ U.S. dollars and are subject to change without notice. State sales tax will be added to the invoice if resale tax certificate is not on file.

Terms are net 30-days upon approved and established credit. Prices are quoted F.O.B from our warehouse in Lewisville, TX. Prática Products Inc. reserves the right to review, accept, or reject all purchase orders.

Purchase orders are only considered valid after written acknowledgement is received by the customer.

Prática Products Inc. reserves the right to change or modify the design, specification and substitute materials in construction of any product manufactured without notice.

All product dimensions are nominal and are subject to change.

### RETURN POLICY **E**

Any missing product, loss, or damage in shipment must be reported to Prática Products Inc. and the delivery common carrier immediately on receipt of shipment, and noted on the delivery receipt.

Shipments should be inspected before accepting delivery; if any damage is noticed, shipment should be refused. Any concealed damage noticed within 2 days of accepting delivery should be reported by consignee to the common carrier. Freight claims are the responsibility of the cosigner.

Unless Prática agrees otherwise, specifically in writing, sales are final. Returns of products will not be accepted unless Prática has provided written authorization. Returns are subject to a 25% restocking fee of the total order.



#### Prática Products, Inc. - USA

911 E State Hwy 121 Business, #101 - Lewisville, TX 75057 - USA

#### www.praticausa.com











