



USA - 2026

# Catalog

Ovens, accessories  
and consumables

**PRÁTICA**  
USA

# Welcome to *Prática*



Prática, founded in 1991, offers cutting-edge equipment for the food preparation market, including an extensive product portfolio in the category of speed ovens. With over 700 employees, including 55 in Research & Development in its fully operational 250,000 sq ft factory located in Minas Gerais, Brazil, where it is the market leader. Additionally, the company has a strong presence in the international market, with branches in the United States, Europe and Chile, and exports its products to more than 50 countries.

At Prática, our purpose is to help our customers prepare high-quality food without waste. We understand the crucial role we play in the chain that begins with fields and crops and ends with providing prepared food to people. With our state-of-the-art technology and integrated product solutions, as well as pre-and post-sales support networks, we truly improve our customers' operations in quality food preparation, productivity, and profitability.

A well-aligned team, driven by strong values and a positive vision for the future, is propelling Prática towards an increasingly prominent position in the world.



# Purpose

The purpose of Prática is to help its customers **prepare quality food without waste.**

This purpose, which is also a commitment, unfolds into three complementary dimensions: well-being, productivity, and preservation. It is important for all of us at Prática to understand that by working well and fulfilling our purpose, we can help bring well-being to people, development opportunities for our customers, and, in addition, do our part in helping preserve our home: planet Earth.

Quality food  
without waste.



# Vision

To be a world-class company with global impact, recognized for excellence in service, products, operations, and management.

# Values



COMPETITIVENESS



DEDICATION TO  
THE CUSTOMER



RESPECT



AGILITY



COMMITMENT



PROACTIVITY



WILLINGNESS  
TO IMPROVE



INNOVATION



SPIRIT OF  
COLLABORATION



HONESTY AND  
INTEGRITY




AUSTERITY




GRATITUDE

# Present in over 60 countries



 Zoom in to get a better view.

# Coverage in all 50 states



- \* Nationwide parts distribution - Partstown USA
- \* Nationwide Service Network - NSC
- \* Nationwide Sales coverage by independent sales representatives

 Zoom in to get a better view.

# Index

**8** Fit Express

**10** Fit SM

**12** Fit XL

**14** Fit ST

**18** Forza STi

**22** Rocket Express

**27** Technology

**33** Accessories

**38** Warranty

**39** Terms and  
Conditions



# Speed Ovens

Prática's speed ovens are ultra-fast, high-performing ovens used for preparing and finishing, fresh, refrigerated, or frozen foods. Each use results in excellent appearance, crunchiness, and taste.

With cutting edge technology, the ovens work with multiple heat sources, such as, impinged hot air, microwave, and direct radiation. They are equipped with a ventless system through an easily removable catalytic converter and requires no extraction hood for operation, making it easy to clean and maintain.

With a friendly touchscreen interface, Prática speed ovens have easy operation and quick preparations and are ideal for service with agility and quality.





Fit Line

# Fit Express

The Fit Express high-speed oven is designed to efficiently finish refrigerated, fresh, or frozen foods, such as breakfast sandwiches, chicken wings, muffins, lasagnas, mac & cheese, sub sandwiches, and other partially prepared dishes. It delivers excellent flavor, appearance, and crispiness. The combination of impinged air and microwaves allows for heating, browning, or toasting foods faster than traditional methods.




## Colors

Fit Express Black  
SKU: 990136

Fit Express Orange  
SKU: 990145

- ✔ Fits on 15.2" width countertops and cooks 12" pizzas.
- ✔ **User interface:** full-color user-friendly touchscreen display. Drag and drop features.
- ✔ **IOK:** Create, edit, and organize groups, recipes, and complete menus directly on the oven or from your computer using Wi-Fi or USB Flash Drive and send them to all connected ovens.
- ✔ **Multi-language system:** Portuguese, English, Spanish, French, German, Polish, Russian, Mandarin, Greek.
- ✔ **Ventless:** no hoods needed.
- ✔ The **removable catalytic converter** allows operators to perform the cleaning without the need for a maintenance service call.
- ✔ **Secures consistent results:** through precise control, even heat distribution, rapid cooking, built-in sensors, and customization options, ensuring uniform and efficient cooking for reliable outcomes.
- ✔ **Independently adjust** microwave power, temperature, and impinged air while programming recipes on the oven.
- ✔ **No side vents,** allowing zero side clearance.
- ✔ **Elegant & Intuitive:** Stores unlimited recipes, with their own steps, settings, icons, or photos.
- ✔ **Temperatures up to 536°F:** The impinged air convection technology combined with microwave capabilities enables users to cook food faster than when using traditional processes.
- ✔ **Heat insulation:** prevents the surrounding area from heating up and keeps the surface cool to the touch.



- 1. Magnetron
- 2. Resistance (infrared)
- 3. Stirrer
- 4. Impinged Air
- 5. Catalytic Converter
- 6. Blower Motor
- 7. Microwaves

### Cook Times

Chicken Wings Bone-In	3 min 30 sec
Ham & Cheese Panini	55 sec
Mozzarella Sticks	1 min 45 sec
Italian Sub	55 sec
Breakfast Biscuit	1 min 30 sec



**CERTIFIED VENTLESS**  
WITH EASILY REMOVABLE CATALYTIC CONVERTER.



### Standard accessories

<b>BUILT-IN</b> Speed Grill	Aluminum Paddle	Cleaning Kit	USB Flash Drive	Solid Basket	Perforated Basket Wide Mesh
--------------------------------	-----------------	--------------	-----------------	--------------	-----------------------------

**1 year warranty** for parts and labor, with the exception of naturally worn items.

### Fit Expres Double Mag

Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)	Clearance (Left   Back   Right side)
USA Canada	208 240	Single	60	6.2 7.0	30	3x10 AWG	NEMA 6-30	25.9 x 15.2 x 27.3 (") 157.1 lbs.	33.4 x 20.1 x 35.4 (") 202.1 lbs.	5.2 x 12.4 x 12.1 (") 0.45 cu.ft	0" / 0" / 0"

BACK TO MENU



## Fit Line **Fit SM** Single mag


The Fit Single Mag high-speed oven is designed to efficiently finish refrigerated, or fresh food items, such as breakfast sandwiches, pizzas, sub sandwiches, pastries and more! It delivers excellent flavor, appearance, and crispiness. The combination of impinging air and microwaves allows for heating, browning, or toasting foods faster than traditional methods. The Fit SM is not recommended for frozen food.



## Colors

Fit SM Silver  
SKU: 990170

- ✔ **Ideal for fresh or refrigerated food items.** Not recommended for frozen food.
- ✔ **Energy efficient:** It is designed to be energy-efficient, so you save money on electricity comparing to other models.
- ✔ Fits on 15.2" width countertops and cooks 12" pizzas and sandwiches.
- ✔ **User interface:** full-color user-friendly touchscreen display. Drag and drop features.
- ✔ **IOK:** Create, edit, and organize groups, recipes, and complete menus directly on the oven or from your computer using Wi-Fi or USB Flash Drive and send them to all connected ovens.
- ✔ **Ventless:** no hoods needed.
- ✔ The **removable catalytic converter** allows operators to perform the cleaning without the need for a maintenance service call.
- ✔ **Independently adjust** microwave power, temperature, and impinged air while programming recipes on the oven.
- ✔ **No side vents,** allowing zero side clearance.
- ✔ **Elegant & Intuitive:** Stores unlimited recipes, with their own steps, settings, icons, or photos.
- ✔ **Temperatures up to 536°F:** The impinged air convection technology combined with microwave capabilities enables users to cook food faster than when using traditional processes.
- ✔ **Heat insulation:** prevents the surrounding area from heating up and keeps the surface cool to the touch.



- 1. Magnetron
- 2. Resistance (infrared)
- 3. Stirrer
- 4. Impinged Air
- 5. Catalytic Converter
- 6. Blower Motor
- 7. Microwaves

## Cook Times

Pastries	<b>25 sec</b>
Sub Sandwiches	<b>40 sec</b>
Breakfast Sandwiches	<b>2 min</b>
Paninis	<b>1 min 10 sec</b>



**CERTIFIED VENTLESS**  
WITH EASILY REMOVABLE CATALYTIC CONVERTER.



### Standard accessories



**1 year warranty** for parts and labor, with the exception of naturally worn items.

### Fit SM Single Mag

Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit Breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)	Clearance (Left   Back   Right side)
USA	208 240	Single	60	2.7 3.1	15	3x14 AWG		24.4 x 15.2 x 27.3 (") <b>136.6 lbs.</b>	33.4 x 20.1 x 35.4 (") <b>181.6 lbs.</b>	5.2 x 12.4 x 12.1 (") <b>0.45 cu.ft</b>	0" / 0" / 0"

BACK TO MENU



## Fit Line **Fit XL**

The Fit XL high-speed oven features a 16-inch chamber and is designed to efficiently finish refrigerated, fresh, or frozen foods, such as breakfast sandwiches, chicken wings, muffins, lasagnas, mac & cheese, sub sandwiches, and other partially prepared dishes. Capable of handling larger portions, it is ideal for medium and large businesses. The FIT XL delivers excellent flavor, appearance, and crispiness. By combining impinged air and microwaves, it heats, browns, and toasts foods faster than traditional methods.




## Colors

Fit XL Black  
SKU: 990200

Fit XL Silver  
SKU: 990179

BACK TO MENU

- ❖ 16-inch chamber.
- ❖ Capable of handling larger portions, it is ideal for medium and large businesses.
- ❖ Stores **unlimited recipes** with up to 8 steps each, divided into 16 groups.
- ❖ **USB port** for system updates and importing/exporting groups, recipes, and settings.
- ❖ **Wi-Fi capabilities**, enabling remote management for system updates and importing/exporting groups, recipes, and settings via the IOK online platform.
- ❖ **Adjustable temperature** from 86°F (30°C) to 536°F (280°C).
- ❖ **Independent control** of impinged air (high-speed air blast) and microwaves.
- ❖ **User-friendly touchscreen panel.**
- ❖ Constructed from **stainless steel.**
- ❖ **Certified Ventless** – no need for vent hoods. Easy-to-remove catalytic converter for hassle-free cleaning.
- ❖ **Additional functionalities:** Test Mode and Favorites.
- ❖ Daily cleaning guide with explanatory **videos displayed on the screen**, demonstrating the step-by-step process.
- ❖ **Warranty:** one (1) year covering manufacturer defects, part failures, and pre-approved labor, and two (2) years on all the heating elements, magnetrons, and blower motor of the oven.



- 1. Magnetron
- 2. Resistance (infrared)
- 3. Stirrer
- 4. Impinged Air
- 5. Catalytic Converter
- 6. Blower Motor
- 7. Microwaves

## Cook Times

16" Frozen Pizza	<b>3 min 30 sec</b>
3 Sub Sandwiches 16"	<b>50 sec</b>
6 Paninis	<b>1 min 30 sec</b>
5.5 lb Frozen Chicken Wings	<b>5 min</b>
2 lb Frozen Fries	<b>4 min 30 sec</b>



**CERTIFIED**  
**VENTLESS**  
WITH EASILY REMOVABLE  
CATALYTIC CONVERTER.



### Standard accessories

<b>BUILT-IN</b> 					
Speed Grill Fit XL	Aluminum Paddle	Cleaning Kit	USB Flash Drive	Solid Basket	Perforated Basket Wide Mesh

Fit XL											
Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit Breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)	Clearance (Left   back   right side)
USA Canada	208 240	Single	60	6.2 7.0	30	3x10 AWG	 NEMA 6-30	25.9x19.2x31.3 (") <b>180.8 lbs.</b>	35.6x23.2x37.8 (") <b>227 lbs</b>	5.5x16.4x16.1 (") <b>0.83 cu.ft</b>	0" / 0" / 0"

BACK TO MENU



## Fit Line **Fit ST** Stackable

The Fit ST high-speed oven features a 12-inch chamber and can be stacked up to two units high. It is designed to efficiently finish refrigerated, fresh, or frozen foods, such as breakfast sandwiches, chicken wings, muffins, lasagnas, mac & cheese, sub sandwiches, and other partially prepared dishes. Ideal for any business size, the oven delivers excellent flavor, appearance, and crispiness. By combining impinged air and microwaves, it heats, browns, and toasts foods faster than traditional methods.



## Colors


Fit ST Black  
SKU: 990188

Fit ST Black  
Double Stacked  
SKU: 990188-DBL

Fit ST Silver  
SKU: 990163

Fit ST Silver  
Double Stacked  
SKU: 990163-DBL

- The FIT ST can be stacked up to 2 units (1+1).
- Stores unlimited recipes with up to 8 steps each, divided into 16 groups.
- **USB port** for system updates and importing/exporting groups, recipes, and settings.
- **Wi-Fi capabilities**, enabling remote management for system updates and importing/exporting groups, recipes, and settings via the IOK online platform.
- **Adjustable temperature** from 86°F (30°C) to 536°F (280°C).
- **Independent control** of impinged air (high-speed air blast) and microwaves.
- **User-friendly** touchscreen panel.
- Constructed from **stainless steel**.
- **Certified Ventless** – no need for vent hoods. Easy-to-remove catalytic converter for hassle-free cleaning.
- **Additional functionalities:** Test Mode and Favorites.
- Daily cleaning guide with explanatory **videos displayed on the screen**, demonstrating the step-by-step process.
- **Warranty:** one (1) year covering manufacturer defects, part failures, and pre-approved labor, and two (2) years on all the heating elements, magnetrons, and blower motor of the oven.



1. Magnetron
2. Resistance (infrared)
3. Stirrer
4. Impinged Air
5. Catalytic Converter
6. Blower Motor
7. Microwaves

## Cook Times

Burrito	1 min
8 OZ Frozen Chicken Wings	3 min 30 sec
Ham & Cheese Panini	1 min 15 sec
3 Corn Dogs	1 min 30 sec
Tater Tots	3 min



**CERTIFIED**  
**VENTLESS**  
 WITH EASILY REMOVABLE CATALYTIC CONVERTER.



### Standard accessories

<b>BUILT-IN</b> Speed Grill	Aluminum Paddle	Cleaning Kit	USB Flash Drive	Solid Basket	Perforated Basket Wide Mesh
--------------------------------	-----------------	--------------	-----------------	--------------	-----------------------------

Fit ST											
Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit Breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)	Clearance (Left   Back   Right side)
USA / Canada	208 240	Single	60	6.2 7.0	30	3x10 AWG	 NEMA 6-30	16.7 x 20.4 x 27.4 (") <b>158.7 lbs.</b>	28.4 x 24.4 x 32.5 (") <b>207.2 lbs.</b>	5.2 x 12.4 x 12.1 (") <b>0.45 cu.ft</b>	0" / 0" / 1"

BACK TO MENU

A C C E S S O R Y

# PANINI PRESS

FOR **FITST** **FITSM** AND **FIT** USE ONLY  
EXPRESS ONLY





SKU: 800552




## The Panini Press is an optional accessory for the FIT Line, ideal for making delicious sandwiches and paninis with grill marks.

- ❖ Specifically designed for use with the FIT Express, Fit SM, and Fit ST.
- ❖ It is constructed from aluminum and coated with a non-stick layer.
- ❖ Versatility: Accommodate a variety of foods with an opening range of 0.7" to 2.9" between the top and bottom grills.
- ❖ Create perfectly pressed, grill-marked paninis, melts, subs, burritos, quesadillas, and more.
- ❖ Easy Installation, Use, and Cleaning.
- ❖ Comes with an exclusive paddle for sliding food between the top and bottom plates, also ensuring safe opening and closing.
- ❖ It is possible to keep the panini press in the chamber, even when cooking other items without grill marks, by placing the basket on top of it.



OPEN



CLOSED



Click to learn more

\*Not recommended for preparing meats



# Forza STi

## Stackable

Designed to ensure swift and exceptional deliveries, even during peak demands, the Forza STi proves to be an ideal solution for QSR (Quick Service Restaurants) establishments, as well as pizzerias, bakeries, hotels, kiosks, and convenience stores. The production of pizzas, flatbreads, cookies, and more becomes even better with the Forza STi, ensuring superior appearance, flavor, and textures. The combination of impinged air and infrared radiation allows for heating, browning, or toasting foods faster than traditional methods.



## Two Possibilities:


Forza STi  
Double Stacked  
SKU: 990115-DBL

Forza STi  
SKU: 990115



  
BACK TO MENU

- ✓ Secures consistent results: through precise control, even heat distribution, rapid cooking, built-in sensors, and customization options, ensuring uniform and efficient cooking for reliable outcomes.
- ✓ Pizzas up to 16": fresh, or par-baked dough, thin or thick crust.
- ✓ Stackable: can be stacked up to two ovens.
- ✓ The Forza STi double consists of two units stacked, which means each cavity requires independent power and each cavity has its own independent controls, allowing the temperature to be set individually, up to 626°F each.
- ✓ Elegant & Intuitive: stores unlimited recipes, with their own steps, settings, icons, or photos.
- ✓ User interface: full-color user-friendly touchscreen display. Drag and drop features.
- ✓ Multi-language system: Portuguese, English, Spanish, French, German, Polish, Russian, Mandarin, Greek.
- ✓ IOK: Create, edit, and organize groups, recipes, and complete menus directly on the oven or from your computer using Wi-Fi or USB Flash Drive and send them to all connected ovens.
- ✓ Ventless: no hoods needed.
- ✓ The removable catalytic converter allows operators to perform the cleaning without the need for a maintenance service call.
- ✓ Heat insulation: prevents the surrounding area from heating up and keeps the surface cool to the touch.



- 1. Blower Motor
- 2. Impingement Heater
- 3. Impinged Air
- 4. IR heater
- 5. Catalytic Converter

### Cook Times


Bruschettas	45 sec
Toasted Sub Sandwich	55 sec
Fresh Dough 16" Pizza	3 min 30 sec
Half-size sheet pan of cookies	10 min
Flatbread Pizza	2 min 15 sec

Click to learn more

Click to watch the video

CAD and Revit files

**CERTIFIED**  
**VENTLESS**  
 WITH EASILY REMOVABLE CATALYTIC CONVERTER.



Optional adjustable feet

### Standard accessories



1 year warranty for parts and labor, with the exception of naturally worn items.

Forza STi											
Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit Breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)	Clearance (Left   Back   Right side)
USA	208 240	Single	60	5.6 7.2	30	3x10 AWG		Without feet 13.4 x 27.7 x 31 (") 148 lbs.	25.2 x 33.2 x 37.6 (") 209.4 lbs.	3.6 x 18.1 x 17.1 (") 0.65 cu.ft	0" / 0" / 1"
								With feet 17.4 x 27.7 x 31 (") 148 lbs.			

# FORZA STi





**Small footprint**

13.3 x 27.7 x 31  
height x width x depth (")



**Ventless technology**

No need of hoods  
for operation



**Prepares 16" pizzas**

In 3 min 30 sec



**Temperatures  
up to 626°F**

Separate controls for  
temperature, and air  
impingement, bottom  
IR element of the chamber



**Double glass door  
& lighted cavity**

See cooking  
progress as the  
oven is working



**Energy  
efficient**

Low energy  
consumption




**Stainless steel**

Exterior & interior



**4-inch optional legs**



**Stackable**

Can be stacked up to  
two ovens high



**Each cavity has its own controls**

Can be used independent of the other





# Rocket Express


The Rocket Express high-speed oven is recommended to quickly finish refrigerated, fresh, or frozen foods, like breakfast sandwiches, chicken wings, muffins, lasagnas, mac & cheese, sub sandwiches, and other partially prepared foods, yielding excellent flavor, appearance, and crisp results.

The combination of impinged air, microwaves, and infrared radiation allows for heating, browning, or toasting foods faster than traditional methods. Ideal for larger portions. Its spacious 14-inch chamber provides ample room for cooking larger quantities of food, making it well-suited for situations requiring higher capacity.



Rocket Express  
SKU: 990043

- ✔ User interface: full-color user-friendly touchscreen display. Drag and drop features.
- ✔ Stores unlimited recipes with up to 8 steps each, divided into 16 groups.
- ✔ USB port for system updates and importing/exporting groups, recipes, and settings.
- ✔ Wi-Fi capabilities, enabling remote management for system updates and importing/exporting groups, recipes, and settings via the IOK online platform.
- ✔ Adjustable temperature from 86°F (30°C) to 536°F (280°C).
- ✔ Independent control of impinging air (highspeed air blast), microwaves, and infrared radiation.
- ✔ Heat insulation: prevents the surrounding area from heating up and keeps the surface cool to the touch.
- ✔ Certified Ventless – no need for vent hoods.
- ✔ The removable catalytic converter allows operators to perform the cleaning without the need for a maintenance service call.
- ✔ Built-in fixed feet.
- ✔ Constructed from stainless steel.
- ✔ Additional functionalities: Test Mode and Favorites.
- ✔ Daily cleaning guide with explanatory videos displayed on the screen, demonstrating the step-by-step process.



- 1. Blower Motor
- 2. Catalytic Converter
- 3. Impinging Air
- 4. Impingement Heater
- 5. IR Heater
- 6. Microwaves

### Cook Times

Roasted Brussels Sprouts	2 min 30 sec
French Bread	1 min 30 sec
8" toasted sub	30 sec
Chicken Wings	3 min 30 sec
Chicken Quesadilla	1 min 15 sec

CERTIFIED  
**VENTLESS**  
 WITH EASILY REMOVABLE  
 CATALYTIC CONVERTER.



Click to learn more

Click to watch the video

CAD and Revit files

#### Standard accessories

Speed Grill	Aluminum Paddle	Cleaning Kit	USB Flash Drive	Solid Basket

1 year warranty for parts and labor, with the exception of naturally worn items.

Rocket Express											
Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit Breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)	Clearance (Left   Back   Right side)
USA	208 240	Single	60	6.2 7.2	30	3x10 AWG	NEMA 6-30	25x20.9 x 31.7 (") <b>194 lbs.</b>	34 x 25.2 x 36.2 (") <b>250 lbs.</b>	5.7 x 15.5 x 14.2 (") <b>0.74 cu.ft</b>	0" / 0" / 0"



BACK TO MENU



# Contact us!

Test your own products.

Schedule a demo session and test your products. Get in touch with us today and let's embark on a culinary adventure that'll leave your customers craving more.

---

It's time to take your establishment  
To the next level – we've got your back!

E-mail [info@praticausa.com](mailto:info@praticausa.com)  
or phone **+1 214-584-6269**






Check our


# Cookbooks

online!

Website



YouTube



# Get it Ready in 2 taps!



Full color **user-friendly** touchscreen display



## **Elegant** and **Intuitive**

Our ovens store unlimited recipes, with their own steps, settings, icons, or photos.

## **Simple** and **Optimized**

A fresh spin on providing a great user interface while simplifying the basic oven operations for the end user.

# Features



Wi-Fi connectivity



Multi-language system

(Portuguese, English, Spanish, French, German, Polish, Russian, Mandarin, Greek)



Photo library for recipes



Cleaning guide video with instructions

# User-friendly Features

Available in all Prática's high-speed oven models.



## Removable Catalytic converter

Easy access and removal of the catalytic converter.



## Removable Air Filter

Designed for simple cleaning and maintenance.



BACK TO MENU

# Minimal Clearance

Advance cooling design eliminates side vents and louvers allowing minimal to zero side clearance.



**i**  
Rear clearances are automatically set with factory-installed bumpers.



CERTIFIED

**VENTLESS**

No hoods needed for operation!

The Catalytic Converter turns grease-laden vapor into water, allowing the oven to operate with no need for exhaust hoods.\*

The Catalytic Converter is removable, allowing operators to perform the cleaning without the need for a maintenance service call.

All Prática's high-speed ovens have been tested and passed EPA202, allowing them to be certified as non-grease emitting appliances.

\*The high-speed ovens can't be used to cook foods classified as 'raw fatty proteins', such as bone-in, skin-on chicken, raw bacon, raw hamburger, etc. Trying to do so can damage the catalytic converter.



BACK TO MENU



# PRÁTICA'S SMART HIGH-SPEED OVENS THE FUTURE OF COOKING

IOK is your all-in-one system for smarter kitchen management. It keeps your ovens aligned, your menus consistent, and your business ready to grow—whether you operate one store or many.



**MANAGE GROUPS AND RECIPES FROM YOUR COMPUTER**

Create, edit, remove, and distribute groups and recipes from the computer to all compatible ovens.



**CUSTOMIZE THE DISPLAY IMAGE OF RECIPES**

Illustrate recipes with real images of your products.



**RECEIVE SOFTWARE UPDATES**

Always count on system improvements for free, from small adjustments to major updates (such as a new interface or function, for example).

# PRÁTICA IOK USES YOUR WI-FI TO ALLOW FOR SEAMLESS MANAGEMENT OF EQUIPMENT ACROSS MULTIPLE LOCATIONS

Standardize your production and keep track of your ovens even when you are out of your kitchen.



All our touchscreen models come with Wi-Fi capabilities and can be connected to the IOK.



The IOK is 100% included with your oven purchase—no extra cost or monthly payments required.



With IOK, you can manage and monitor your equipment from anywhere, on any device—PC, Mac, mobile, or tablet.



Manage all your ovens and menus from one place—no need to handle them separately. Perfect for multi-oven locations and chains.



Create, edit and organize groups, recipes, and complete menus directly on the oven or from your computer and send to all connected ovens.



Customize the recipe icons with photos of your own dishes.



The IOK helps with the consistency of your recipe programming which allows your menu and recipes to be consistent from start to finish.



Update your ovens anytime, anywhere—Wi-Fi or USB.



Access the exclusive Cookbook with complete recipe suggestions created by Prática's Chefs.



Get customer support via chat using the IOK platform.



Click to  
learn more



BACK TO MENU

# Nothing cleans and protects like *Prática*

Cleaning Kits designed specifically for Prática High-Speed Ovens



## Oven Cleaner

- ✔ Non-caustic, non-corrosive, and non-flammable
- ✔ Dissolves heavy soils, carbonized buildup, fat, oil, and grease.
- ✔ Use it in commercial kitchens to save time and labor.
- ✔ Excellent cleaning and degreasing power.
- ✔ Safe for use on aluminum.



## Oven Protector

- ✔ Prevents carbonized buildup, fat, oil, and grease from sticking to oven walls.
- ✔ It makes oven cleaning easier, saving time and labor.
- ✔ Use it in commercial kitchens to keep ovens looking like new.
- ✔ Blend of all GRAS ingredients (GRAS - Generally Recognized As Safe by the FDA).



Cleaning Guides

FIT LINE



Watch the video guide!

FORZA STI



Watch the video guide!

ROCKET EXPRESS



Watch the video guide!




BACK TO MENU

# Speed ovens Accessories

PRÁTICA


## Solid Basket

<b>SKU:</b> 200201	200205
<b>Measurements:</b> 13.5" x 13.5" x 1"	11" x 11" x 1"
<b>Compatibility:</b> Rocket Express	Fit Express   Fit SM   Fit ST




## Solid Basket Large

**SKU:** 200217  
**Measurements:** 15" x 15" x 1"  
**Compatibility:** Fit XL



## Perforated Basket

<b>SKU:</b> 200202	200211
<b>Measurements:</b> 13.5" x 14.5" x 1"	11" x 11" x 1"
<b>Compatibility:</b> Rocket Express	Fit Express   Fit SM   Fit ST



## Perforated Basket Large

**SKU:** 200216  
**Measurements:** 15" x 15" x 1"  
**Compatibility:** Fit XL



## Solid Basket with Cover (Black)

**SKU:** 200225  
**Measurements:** 11" x 11" x 1"  
**Compatibility:** Rocket Express | Fit Express | Fit SM | Fit ST | Fit XL | Forza STi



## Solid Basket (Colors)

**SKU:** Red: 200223 | Green: 200224 | Purple: 200222  
**Measurements:** 11" x 11" x 0.5"  
**Compatibility:** Rocket Express | Fit Express | Fit SM | Fit ST | Fit XL | Forza STi




## Speed Grill Large

**SKU:** 800558  
**Measurements:** 16" x 16" x 1.38"  
**Compatibility:** Fit XL



## Speed Grill

<b>SKU:</b> 800504	800526
<b>Measurements:</b> 13" x 14" x 0.25"	12" x 12" x 0.25"
<b>Compatibility:</b> Rocket Express	Fit Express   Fit SM   Fit ST



BACK TO MENU

# Speed ovens Accessories

## Panini Press

**SKU:** 800552

**Measurements:** 11.8" x 11.9" x 2.4"

**Compatibility:** Fit Express | Fit SM | Fit ST



## 4-Cavity Nonstick Large Muffin Pan

**SKU:** 200221

**Measurements:** 9.25" x 9.25" x 1.25"

**Compatibility:** Rocket Express | Fit Express | Fit SM | Fit ST | Fit XL | Forza STi



## 6-Cavity Nonstick Large Muffin Pan

**SKU:** 200220

**Measurements:** 13.5" x 9.25" x 1.8"

**Compatibility:** Rocket Express | Fit Express | Fit SM | Fit ST | Fit XL | Forza STi



## Steamer 3-Piece Cooking Pan Set

**SKU:** 200219

**Measurements:** 9.6" x 9.6" x 2.6"

**Compatibility:** Rocket Express | Fit Express | Fit SM | Fit ST | Fit XL | Forza STi



## 4-Cavity Nonstick Egg Pan

**SKU:** 200218

**Measurements:** 10" x 10" x 0.8"

**Compatibility:** Rocket Express | Fit Express | Fit SM | Fit ST | Fit XL | Forza STi



## 4-Mould Tray

**SKU:** 200228

**Measurements:** 11.02" x 11.41" x 0.7"

**Compatibility:** Fit Express / Fit SM




## Square Pan

**SKU:** 200226

**Measurements:** 10.23" x 10.23" x 1.18"

**Compatibility:** Fit Express / Fit SM



## Round Pan

**SKU:** 200227

**Measurements:** 7.48" x 1.57"

**Compatibility:** Fit Express / Fit SM



# Speed ovens Accessories

## Plier for pans

**SKU:** 200229  
**Measurements:** 787"  
**Compatibility:** 200226 and 200227



## Wave Perforated Basket

**SKU:** 200210  
**Measurements:** 10.125" x 10.125" x 1.75"  
**Compatibility:** Fit Express | FIT SM | FIT ST | FIT XL | Rocket Express



## Pizza Screen

<b>SKU:</b> 200602	200609
<b>Measurements:</b> 14"	16"
<b>Compatibility:</b> Forza STi	Forza STi



## Aluminum Paddle

<b>SKU:</b> 800163	800507
<b>Measurements:</b> 12" x 13.5"	10" x 19"
<b>Compatibility:</b> Rocket Express	Fit Express   Fit SM   Fit ST



## Aluminum Paddle Large

**SKU:** 800560  
**Measurements:** 14.17" x 25"  
**Compatibility:** Fit XL



## Aluminum Paddle Forza STi

**SKU:** 200607  
**Measurements:** 12" x 29.5"  
**Compatibility:** Forza STi



## Oven Rack

**SKU:** 753284  
**Measurements:** 18" x 15"  
**Compatibility:** Forza STi



## Oven Rack

**SKU:** 760200  
**Measurements:** 15" x 10"  
**Compatibility:** Rocket Express



# Speed ovens Accessories

## Cleaning Tool

**SKU:** 618213  
**Measurements:** 19" x 2"  
**Compatibility:** Forza STi



## Air Inlet Filter - Right Side

**SKU:** 753383  
 Pack with 6  
**Compatibility:** Forza STi



## Catalytic Converter

**SKU:** 631712 | 760022  
**Compatibility:** Rocket Express | Forza STi



## Catalytic Converter

**SKU:** 634278  
**Compatibility:** Fit Express | Fit SM | Fit ST



## Prática Oven Protector

**SKU:** 200901 | 200901CS  
 1 bottle | 6 bottles per case  
**Compatibility:** Rocket Express | Fit Express | Fit SM | Fit ST | Fit XL | Forza STi



## Prática Oven Cleaner

**SKU:** 200902 | 200902CS  
 1 bottle | 6 bottles per case  
**Compatibility:** Rocket Express | Fit Express | Fit SM | Fit ST | Fit XL | Forza STi



## Dual Trigger Sprayer

**SKU:** 200903  
**Compatibility:** Oven Cleaner and Oven Protector Bottles



## Cleaning kit

**SKU:** 200907  
 • 2 Dual-trigger sprayers  
 • 1 Non-scratch Scrub Pad  
 • 1 Prática Oven Cleaner  
 • 2 Cleaning Towels  
 • 1 Prática Oven Protector



# Speed ovens Accessories

PRÁTICA

## Easy Clean Liner

**SKU:** 200230 | 200231  
1 Liner | Pack with 2  
**Compatibility:** Fit Express | Fit ST | Fit SM



## Stacking Cart

**SKU:** 200615  
**Dimensions:** 28½" x 28½" x 39"  
**Compatibility:** Fit Express | Rocket | Fit XL | Fit ST | Fit SM



The ideal accessories to  
**power up**  
your high-speed oven.



**Click to shop  
accessories  
online!**

BACK TO MENU

# Price list



## Warranty

Prática Products Inc. warranties all high-speed ovens for a period of one (1) year covering manufacturer defects, part failures, and pre-approved labor, and two (2) years on all the heating elements, magnetrons, and blower motor of the oven. The warranty period starts on the installation day.

The warranty excludes user abuse, ordinary wear, tear, and other conditions described in full in the product user's manual.

## Freight and shipping

Prática Products Inc. provides the most economical ground transportation possible, consistent with guaranteed freight and minimal terminal switching. Any special request, as in residential delivery, lift gate, or phone appointment, will have an additional charge. Prática Products Inc. imposes no hidden mark-ups; all freight charges are passed through the customer at our cost.

Any missing product, loss, or damage in shipment must be reported to Prática Products Inc. and the delivery common carrier immediately on receipt of shipment, and noted on the delivery receipt.

Shipments should be inspected before accepting delivery; if any damage is noticed, shipment should be refused. Any concealed damage noticed within 2 days of accepting delivery should be reported by consignee to the common carrier. Freight claims are the responsibility of the cosigner.

*For information on terms and conditions please click on following link.*



## Terms and conditions

All prices are quoted in \$ U.S. dollars and are subject to change without notice. State sales tax will be added to the invoice if resale tax certificate is not on file.

Terms are net 30-days upon approved and established credit. Prices are quoted F.O.B from our warehouse in Lewisville, TX. Prática Products Inc. reserves the right to review, accept, or reject all purchase orders.

Purchase orders are only considered valid after written acknowledgement is received by the customer.

Prática Products Inc. reserves the right to change or modify the design, specification and substitute materials in construction of any product manufactured without notice.

All product dimensions are nominal and are subject to change.

## Return policy

Any missing product, loss, or damage in shipment must be reported to Prática Products Inc. and the delivery common carrier immediately on receipt of shipment, and noted on the delivery receipt.

Shipments should be inspected before accepting delivery; if any damage is noticed, shipment should be refused. Any concealed damage noticed within 2 days of accepting delivery should be reported by consignee to the common carrier. Freight claims are the responsibility of the cosigner.

Unless Prática agrees otherwise, specifically in writing, sales are final. Returns of products will not be accepted unless Prática has provided written authorization. Returns are subject to a 25% restocking fee of the total order.





# The fastest way

to get your menu done!

*PRÁTICA*



BACK TO MENU





Prática Products, Inc. - USA

911 E State Hwy 121 Business, #101 - Lewisville, TX 75057

[www.praticausa.com](http://www.praticausa.com)

 [praticausa](#)  [praticaus](#)  [praticausa](#)  [praticahighspeedovens](#)

 [info@praticausa.com](mailto:info@praticausa.com)  +1 214-584-6269