

Cookbook

B R E W E R Y



Prática
HIGH SPEED OVENS

Prática's High-Speed Ovens

Pairing perfect food with craft brews at breweries

- Lightning-fast cooking times to keep up with the buzz of your bustling brewery
- Streamlined operations to handle high volumes without compromising on flavor
- Versatile cooking capabilities for a delectable range of dishes that complement craft brews
- Precise temperature and humidity control for consistently mouthwatering results
- Advanced safety features ensure a secure cooking environment
- Energy-efficient design supports sustainability and cost savings

Expand your menu, maximize your profits, and minimize your operational costs.






Prática's high-speed ovens are the ideal culinary companion for breweries, expertly matching the craft of brewing with the art of exceptional food. With rapid cooking times, you can serve up delectable dishes that perfectly harmonize with your craft brews.



Operating our high-speed ovens is smooth and effortless, allowing you to swiftly present mouthwatering dishes that beautifully complement your craft brews. Once your personalized settings and recipes are established, simply select your desired recipe from the intuitive interface. Our oven will flawlessly execute the recipe, ensuring consistent quality and flavors that will leave a lasting impression on your brewery patrons.

Cheers to efficiency and style!





This cookbook has been curated with recipes tailored specifically for our high-speed ovens, considering the vibrant atmosphere of breweries. It serves as a valuable starting point by offering you settings based on the recipes tested in our kitchen.

You have the flexibility to customize cooking parameters according to your preferences, empowering you to achieve the perfect textures and flavors envisioned for your business.

These recipes are not only examples but also sources of inspiration. Feel free to create additional recipes with different flavors and variations, aligning them with your brewery's unique menu.

On each page, you will find:

- **A picture illustrating the featured food item**
- **The precise settings used for preparing that food item on each recommended high-speed oven**
- **A direct link to the recipe page on our website, providing more details and authentic pictures of the results achieved in our test kitchen**
- **An additional link to a short video showcasing the high-speed oven in action, specifically demonstrating that particular recipe.**

Our expert team is available to assist you in ongoing support, troubleshooting, and recipe refinement.



INDEX

FOOD

- 6** Chicken Wings
 - 7** Hamburgers
 - 8** Whole Pizzas
 - 9** Pizza by the slice
 - 10** Personal size pizza
 - 11** Panini
 - 12** Sandwiches
 - 13** French Fries
 - 14** Tater tots
 - 15** Quesadillas
 - 16** Hot Dogs
 - 17** Nachos
 - 18** Roasted brussel sprouts
 - 19** Onion Rings
- ## HIGH SPEED OVENS
- 20** Fit Express
 - 22** Forza STi
 - 24** Copa Express
 - 26** Rocket Express
-
- 28** IOK - Internet of Kitchen
 - 30** Cleaning products
 - 31** Accessories
 - 32** Company
 - 36** Price list and warranty





Chicken Wings

Our high-speed ovens transform 10 frozen wings into delicious, mouthwatering, ready-to-eat perfection in just 3:30 min. Say goodbye to long waits and hello to crispy, tender, flavor-packed wings that will have your customers coming back for more. And the best part? No oil is needed, making it a healthier option for everyone to enjoy.

Settings for baking 8 pre-cooked chicken wings:

FIT EXPRESS

1°	100% 🔥	2°	100% 🔥
🕒	60% 🌬️	🕒	30% 🌬️
2min15sec	525°F 🌡️	30sec	525°F 🌡️

ROCKET EXPRESS

CapriExpress

1°	100% 🔥	2°	100% 🔥
🕒	100% 📺	🕒	100% 📺
2min15sec	525°F 🌡️	30sec	525°F 🌡️

[LEARN MORE](#)

[WATCH THE VIDEO](#)

BACK TO MENU



Hamburgers

You can prepare the patties in advance and reheat them on demand, ensuring they taste just as fresh as the moment they were cooked. Experience juicy fillings and perfectly crisp buns with each bite, all thanks to our precise temperature control. Embrace the convenience of pre-preparation without compromising on the authentic flavors that make these classic favorites truly exceptional.

[LEARN MORE](#)

[WATCH THE VIDEO](#)

Settings for reheating 4 fully cooked patties, with the cheese and the buns:

FIT EXPRESS

1°	50%
0:45sec	30%
	500°F

ROCKET EXPRESS

CapriExpress

1°	50%
0:45sec	30%
	70%
	500°F

[BACK TO MENU](#)



Whole Pizzas





The Forza STi can flawlessly bake a 16" pizza from fresh dough in just 3 minutes, while the FIT Express works its magic on a 12" pizza from frozen in only 2 minutes. Our high-speed ovens can cater to various pizza toppings, allowing your business to customize and meet the unique preferences of your menu.





[LEARN MORE](#)

[WATCH THE VIDEO](#)

Settings for baking a 16" fresh dough pizza:

FORZA STi

1°	5% 
 1min30sec	85%  626°F 

2°	55% 
 1min30sec	80%  626°F 



Pizza by the slice

Reheat a single pizza slice in just 15 seconds or even bake a single slice from frozen dough to perfection in only 50 seconds. Our high-speed ovens are incredibly versatile, and customizable, allowing you to meet various preferences and needs.

[LEARN MORE](#)

[WATCH THE VIDEO](#)

Settings for baking a frozen slice:

FIT EXPRESS

1°	100%
 0:50sec	30% 536°F

ROCKET EXPRESS

CapriExpress

1°	100%
 0:50sec	30% 100% 536°F

BACK TO MENU







Personal size pizza

The FIT Express works its magic on a personal-size pizza from frozen in only 1 minute and 45 seconds. Our high-speed ovens can cater to various pizza toppings, allowing your business to customize and meet the unique preferences of your menu.






Settings for baking a frozen personal-size pizza:

FIT EXPRESS

1°	100% 
 1min45sec	50%  500°F 

ROCKET EXPRESS

Capri Express

1°	100% 
 1min45sec	50%  100%  500°F 

[> LEARN MORE](#)

[> WATCH THE VIDEO](#)

BACK TO MENU 



Panini

The cheese melts, the fillings warm up, and the bread gets perfectly toasted. Our high-speed ovens make it quick and easy for your customers to savor delicious, toasted panini in no time.

[LEARN MORE](#)

[WATCH THE VIDEO](#)

Settings for toasting a ham and cheese panini:

FIT EXPRESS

1°	90%
0:40sec	40%
	500°F

ROCKET EXPRESS

CapriExpress

1°	90%
0:40sec	40%
	100%
	500°F

[BACK TO MENU](#)



Sandwiches

Whether it's a classic grilled cheese, an Italian sub, or a savory steak sandwich, our high-speed ovens ensure outstanding results. With precise heating, the cheese melts to perfection, the fillings are warmed to enhance their flavors, and the bread is toasted to a delightful crunch.

[LEARN MORE](#)

[WATCH THE VIDEO](#)

Settings for a refrigerated 12" sub sandwich:

FIT EXPRESS

1°	80%
0:40sec	40%
	500°F

ROCKET EXPRESS

CapriExpress

1°	80%
0:40sec	40%
	60%
	500°F

[BACK TO MENU](#)



French Fries

With our ventless high-speed ovens, frozen French fries become crispy and golden in no time. They're perfectly cooked on the outside and tender on the inside. No need for a large kitchen or complex ventilation systems. Plus, no extra oil is needed, making it a healthier choice for all.

[LEARN MORE](#)

[WATCH THE VIDEO](#)

Settings for baking frozen french fries:

FIT EXPRESS

1°	70%	2°	70%
	40%		10%
2min45sec	500°F	1min10sec	500°F

ROCKET EXPRESS

CapriExpress

1°	70%	2°	70%
	40%		10%
2min45sec	100%	1min10sec	100%
	500°F		500°F

BACK TO MENU







Tater tots

Each tot is cooked to perfection, with a crispy exterior and a fluffy interior. Our ovens ensure quick and consistent results, making them the perfect choice for tater tot lovers everywhere.






Settings for baking frozen tater tots:

FIT EXPRESS

1°	100% 
 1min35sec	70%  500°F 

ROCKET EXPRESS

CapriExpress

1°	100% 
 1min35sec	70%  100%  500°F 

 [LEARN MORE](#)

 [WATCH THE VIDEO](#)

 BACK TO MENU



Quesadillas

The tortillas become crispy on the outside while the cheese melts to ooey-gooey perfection. The result is a mouthwatering quesadilla with a perfect blend of textures and flavors. Whether it's a classic cheese quesadilla or one packed with delicious fillings, our high-speed ovens ensure a quick and delicious treat that will have your customers coming back for more.

[LEARN MORE](#)

[WATCH THE VIDEO](#)

Settings for a cheese quesadilla:

FIT EXPRESS

1°	70%	2°	70%
	40%		40%
0:35sec	530°F	0:35sec	530°F

ROCKET EXPRESS

CapriExpress

1°	70%	2°	70%
	40%		40%
0:35sec	60%	0:35sec	60%
	531°F		531°F

BACK TO MENU



Hot Dogs

Prepare these classic favorites in advance and reheat them on demand, guaranteeing that each bite is as delicious and fresh as can be. Our ovens' precise temperature control ensures the juicy wieners and soft buns stay perfectly warm and ready to serve. Impress your customers with quick service and delectable taste.

[LEARN MORE](#)

[WATCH THE VIDEO](#)

Settings for 2 hot dogs:

FIT EXPRESS

1°	90% 🔥
🕒	40% 🔥
0:40sec	500°F 🌡️

ROCKET EXPRESS

CapriExpress

1°	0% 🔥
🕒	40% 🔥
1min	10% 📺
	500°F 🌡️

BACK TO MENU







Nachos

With precise heating settings, our high-speed ovens excel at melting cheese, warming toppings, and maintaining the crispiness of tortilla chips. Each bite of our delicious nachos offers a perfect blend of flavors and textures.






Settings for heating up nachos:

FIT EXPRESS

1°	90% 
1min 	30% 
	500°F 

ROCKET EXPRESS

CapriExpress

1°	90% 
1min 	30% 
	60% 
	500°F 

[> LEARN MORE](#)

[> WATCH THE VIDEO](#)

[BACK TO MENU](#)



Roasted brussel sprouts

Achieve crispy exteriors and tender interiors, all in record time. The high-speed ovens' precise temperature control ensures even cooking, allowing the Brussel Sprouts to develop their natural flavors while retaining their desired texture.

Settings for roasting brussel sprouts:

FIT EXPRESS

1°	30% 🔥
🕒 2min	0% 🌀 536°F 🌡️

ROCKET EXPRESS

CapriExpress

1°	30% 🔥
🕒 2min	100% 📺 536°F 🌡️

[> LEARN MORE](#)

[> WATCH THE VIDEO](#)

[BACK TO MENU](#)







Onion Rings

Attain the ideal golden-brown crunch on the outside while keeping the onions tender and flavorful on the inside, all without the need for a large kitchen or complex ventilation systems. Plus, no extra oil is needed, making it a healthier choice for all.






Settings for cooking frozen onion rings:

FIT EXPRESS

1°	90% 
 2min	30% 
	500°F 

ROCKET EXPRESS

CapriExpress

1°	90% 
 2min	30% 
	70% 
	500°F 

 LEARN MORE

 WATCH THE VIDEO

BACK TO MENU 



FIT EXPRESS

[▶ LEARN MORE](#)

FIT EXPRESS BLACK



FIT EXPRESS ORANGE




FIT EXPRESS SILVER



- Bigger cavity, smaller footprint: fits on 15.2" width countertops and cooks 12" pizzas.
- User interface: full-color user-friendly touchscreen display. Drag and drop features.
- IOK: Create, edit, and organize groups, recipes, and complete menus directly on the oven or from your computer using Wi-Fi or USB Flash Drive and send them to all connected ovens.
- Multi-language system: Portuguese, English, Spanish, French, German, Polish, Russian, Mandarin, Greek.
- Ventless: no hoods needed.
- The removable catalytic converter allows operators to perform the cleaning without the need for a maintenance service call.
- Secures consistent results: through precise control, even heat distribution, rapid cooking, built-in sensors, and customization options, ensuring uniform and efficient cooking for reliable outcomes.

- Independently adjust microwave power, temperature, and impinging air while programming recipes on the oven.
- No side vents, allowing zero side clearance.
- Elegant & Intuitive: Stores up to 1024 recipes, with their own steps, settings, icons, or photos.
- Temperatures up to 536°F: The impinging air convection technology combined with microwave capabilities enables users to cook food faster than when using traditional processes.
- Heat insulation: prevents the surrounding area from heating up and keeps the surface cool to the touch.



- | | |
|-----------------------|------------------------|
| 1. Magnetron | 4. Impinging Air |
| 2. Impingement Heater | 5. Catalytic Converter |
| 3. Stirrer | 6. Blower Motor |



STANDARD ACCESSORIES



• 1 year warranty for parts and labor, with the exception of naturally worn items.

Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit Breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)	Clearance (Left / back / right side)
USA / Canada	208 240	Single	60	6.2 7.0	30	3x10 AWG	NEMA 6-30	25.9 x 15.2 x 27.3 (") 147.7 lbs.	35.8 x 20.1 x 35.6 (") 200 lbs.	5.2 x 12.4 x 12.1 (") 0.45 cu.ft	0" / 0" / 0"



FORZA STi

[▶ LEARN MORE](#)




Forza STi



Forza STi Double Stacked


- Secures consistent results: through precise control, even heat distribution, rapid cooking, built-in sensors, and customization options, ensuring uniform and efficient cooking for reliable outcomes.
- Pizzas up to 16": fresh, or par-baked dough, thin or thick crust.
- Stackable: can be stacked up to two ovens.
- Each cavity has its own independent controls, allowing the temperature to be set individually, up to 626°F each.
- Elegant & Intuitive: stores up to 1024 recipes, with their own steps, settings, icons, or photos.
- User interface: full-color user-friendly touchscreen display. Drag and drop features.
- Multi-language system: Portuguese, English, Spanish, French, German, Polish, Russian, Mandarin, Greek.
- IOK: Create, edit, and organize groups, recipes, and complete menus directly on the oven or from your computer using Wi-Fi or USB Flash Drive and send them to all connected ovens.

- Ventless: no hoods needed.
- The removable catalytic converter allows operators to perform the cleaning without the need for a maintenance service call.
- Heat insulation: prevents the surrounding area from heating up and keeps the surface cool to the touch.



1. Blower Motor
2. Impingement Heater
3. Impinged Air
4. IR heater
5. Catalytic Converter

CERTIFIED
VENTLESS
 WITH EASILY REMOVABLE
 CATALYTIC CONVERTER.



STANDARD ACCESSORIES



• **1 year warranty** for parts and labor, with the exception of naturally worn items.

⊕ OPTIONAL ADJUSTABLE FEET

Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit Breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)	Clearance (Left / back / right side)
USA / Canada	208	Single	60	5.6	30	3x10 AWG		Without feet 13.4 x 27.7 x 31 (") 148 lbs.	25.2 x 33.2 x 37.6 (") 209.4 lbs.	3.6 x 18.1 x 17.1 (") 0.65 cu.ft	0" / 0" / 1"
	240			7.2				With feet 17.4 x 27.7 x 31 (") 148 lbs.			

BACK TO MENU



Copa Express

[> LEARN MORE](#)




**COPA EXPRESS
ORANGE**

**COPA EXPRESS
BLACK**

**COPA EXPRESS
SILVER**

- Touchscreen display with intuitive and multi-language software, making it easy to set up, operate, and create recipes.
- USB loading capabilities for programming and sharing settings between ovens.
- Catalytic converter filter technology allows the oven to operate in any indoor area without the use of a hood.
- Easy access to the removable catalytic converter that allows cleaning and maintenance to be performed by the end-user.
- Manual cooking mode allows quick and intuitive cooking of unexpected menu items.
- Infrared bottom heating element with independent temperature control.
- Easily removable bottom filter for cleaning and maintenance.
- Includes a daily cleaning function that cools the oven to safe temperatures and shows a video with recommended cleaning steps.

- Side vents that allow 1" side clearance.
- Up to 1024 recipes, with 8 steps each in 16 groups.
- Adjustable temperature from 86°F (30°C) to 536°F (280°C).
- Capable of utilizing common pan sizes including 1/2 hotel pan (gastronorm pan), and a 1/4 sheet pan.



1. Magnetron
2. Impingement Heater
3. Stirrer
4. Impinged Air
5. IR heater
6. Catalytic Converter
7. Blower Motor

CERTIFIED
VENTLESS
 WITH EASILY REMOVABLE
 CATALYTIC CONVERTER.



STANDARD ACCESSORIES



• **1 year warranty** for parts and labor, with the exception of naturally worn items.

Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit Breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)	Clearance (Left / back / right side)
USA / Canada	208 240	Single	60	6.2 7.2	30	3x10 AWG	 NEMA 6-30	27.3 x 15.9 x 30.7 (") 174 lbs.	35.8 x 20.1 x 35.6 (") 235 lbs.	7.2 x 13.2 x 11.2 (") 0.61 cu.ft	1" / 0" / 1"



ROCKET EXPRESS

 [LEARN MORE](#)


EASY OPERATION



 BACK TO MENU

- Touchscreen display with intuitive and multi-language software, making it easy to set up, operate, and create recipes.
- USB loading capabilities for programming and sharing settings between ovens.
- Catalytic converter filter technology allows the oven to operate in any indoor area without the use of a hood.
- Easy access to the removable catalytic converter that allows cleaning and maintenance to be performed by the end-user.
- Manual cooking mode allows quick and intuitive cooking of unexpected menu items.
- Infrared bottom heating element with independent temperature control.

- Bottom filter can be easily removed for cleaning and maintenance.
- Includes a daily cleaning function that cools the oven to safe temperatures and shows a video with recommended cleaning steps.
- No side vents, allowing zero side clearance.
- Up to 1024 recipes with 8 steps each in 16 groups.
- Adjustable temperature from 86°F (30°C) to 536°F (280°C).
- Exterior, cool to the touch.




1. Blower Motor
2. Impingement Heater
3. Impinging Air
4. IR heater
5. Catalytic Converter
6. Magnetrons

CERTIFIED
VENTLESS
 WITH EASILY REMOVABLE
 CATALYTIC CONVERTER.



STANDARD ACCESSORIES



• **1 year warranty** for parts and labor, with the exception of naturally worn items.

Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit Breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)	Clearance (Left / back / right side)
USA / Canada	208 240	Single	60	6.2 7.2	30	3x10 AWG	NEMA 6-30	25x 20.9 x 31.7 (") 194 lbs.	34 x 25.2 x 36.2 (") 250 lbs.	5.7 x 15.5 x 14.2 (") 0.74 cu.ft	0" / 0" / 0"

IOK

INTERNET OF KITCHEN

PRÁTICA'S SMART HIGH-SPEED OVENS THE FUTURE OF COOKING

Prática's ventless smart high-speed ovens are specifically designed to streamline your operations. With the convenient recipe distribution feature, you can effortlessly create recipes on one unit and seamlessly transfer them to all connected ovens using either a USB flash drive or Wi-Fi. This time-saving functionality ensures consistency and uniformity across all your brewery locations, enabling you to uphold the highest standard of culinary excellence while maximizing productivity.





All our touchscreen models now come with the IOK: Forza STi, FIT, Rocket, and Copa Express.



With the IOK, you can easily monitor and access your ovens remotely from various devices such as PCs, MACs, mobile phones, and tablets, regardless of your location.



Manage all your ovens and menus from one place.



Create, edit, and organize groups, recipes, and complete menus directly on the oven or from your computer, and seamlessly send them to all connected ovens.



Personalize the recipe icons by adding photos of your own dishes.



The IOK ensures consistent recipe programming, ensuring that your menu and recipes maintain a seamless and uniform experience from beginning to end.



Receive the latest updates on IOK features, interface, and display configuration for your ovens, no matter where they are located.



Gain access to exclusive Cookbooks featuring recipe suggestions carefully crafted by Prática's chefs.



Receive customer support conveniently through the IOK platform via chat.

The best way to clean and protect your speed ovens

Prática



CLEANING KIT BENEFITS

Specially formulated for Prática High-Speed Ovens



OVEN CLEANER

- Non-caustic, non-corrosive, and non-flammable
- Dissolves heavy soils, carbonized buildup, fat, oil, and grease.
- Use it in commercial kitchens to save time and labor.
- Excellent cleaning and degreasing power.
- Safe for use on aluminum.


OVEN PROTECTOR

- Prevents carbonized buildup, fat, oil, and grease from sticking to oven walls.
- It makes oven cleaning easier, saving time and labor.
- Use it in commercial kitchens to keep ovens looking like new.
- Blend of all GRAS ingredients (GRAS - Generally Recognized As Safe by the FDA).

SPEED OVENS ACCESSORIES

Panini Press

Part Number: 800552
Description: 11.8" x 11.9" x 2.4"
Compatibility: Fit Express



Ceramic Stone

Part Number: 200102
Description: 12.75" x 14.75" x 0.38"
Compatibility: Rocket / Forza Express



Ceramic Stone - Small

Part Number: 200104
Description: 9.75" x 12.25" x 0.38"
Compatibility: Copa



Speed Grill

Part Number: 200601	800526
Description: 13" x 14" x 0.25"	12 x 12" x 0.25"
Compatibility: Rocket	Fit



Speed Grill - Small

Part Number: 200604
Description: 8.25" x 11" x 1"
Compatibility: Copa



Solid Basket

Part Number: 200201	200205
Description: 13.5" x 13.5" x 1"	11" x 11" x 1.25"
Compatibility: Rocket	Fit Express



Solid Basket - Small

Part Number: 200203
Description: 9" x 12" x 1"
Compatibility: Copa



Perforated Basket

Part Number: 200202
Description: 13.5" x 14.5" x 1"
Compatibility: Rocket



Perforated Basket - Small

Part Number: 200204	200211
Description: 9" x 12" x 1"	11" x 11" x 1"
Compatibility: Copa	Fit Express



Pizza Screen

Part Number: 200602	760466
Description: 13.5"	16"
Compatibility: Forza STi / Forza Express	Forza STi



Aluminum Paddle

Part Number: 200603	800512	800507
Description: 12" x 13.5"	12" x 13.75"	10" x 19"
Compatibility: Rocket	Forza STi	Fit / Copa



Cleaning Tool

Part Number: 618213
Compatibility: Forza STi



Prática Oven Cleaner

Case of 6 bottles	1 bottle
Part Number: 20090CS	200902
Compatibility: Rocket / Copa / Fit / Forza STi	



Prática Oven Protector

Case of 6 bottles	1 bottle
Part Number: 200901CS	200901
Compatibility: Rocket / Copa / Fit / Forza STi	



Standard Trigger Sprayer

Part Number: 200903

Foaming Trigger Sprayer

Part Number: 200906
Compatibility: Rocket / Copa / Fit / Forza STi



Cleaning kit

- 1 Standard Trigger Sprayer
- 1 Foaming Trigger Sprayer
- 1 Prática Oven Cleaner
- 1 Prática Oven Protector
- 1 Non-scratch Scrub Pad
- 2 Cleaning Towels










WELCOME TO PRÁTICA

Prática, founded in 1991, offers cutting-edge equipment for the food preparation market, including an extensive product portfolio in the category of speed ovens. With over 600 employees, including 55 in Research & Development in its fully operational 250,000 sq ft factory located in Minas Gerais, Brazil, where it is the market leader. Additionally, the company has a strong presence in the international market, with branches in the United States and Chile, and exports its products to more than 50 countries.

At Prática, our purpose is to help our customers prepare high-quality food without waste. We understand the crucial role we play in the chain that begins with fields and crops and ends with providing prepared food to people. With our state-of-the-art technology and integrated product solutions, as well as pre- and post-sales support networks, we truly improve our customers' operations in quality food preparation, productivity, and profitability.

A well-aligned team, driven by strong values and a positive vision for the future, is propelling Prática towards an increasingly prominent position in the world.

OUR VALUES



QUALITY FOOD WITHOUT WASTE

OUR PURPOSE



WELL-BEING




PRODUCTIVITY



SUSTAINABILITY


MANUFACTURING PLANT
State of Minas Gerais - Brazil

PRESENT IN OVER 50 COUNTRIES



 Zoom in to get a better view.

COVERAGE IN ALL 50 STATES



- * Nationwide parts distribution - Partstown USA
- * Nationwide Service Network - NSC
- * Nationwide Sales coverage by independent sales representatives

 Zoom in to get a better view.

PRICE LIST



WARRANTY

Prática Products Inc. warranties all high-speed ovens for a period of one (1) year covering manufacturer defects, part failures, and pre-approved labor, and two (2) years on all the heating elements, magnetrons, and blower motor of the oven. The warranty period starts on the installation day.

The warranty excludes user abuse, ordinary wear, tear, and other conditions described in full in the product user's manual.



FREIGHT AND SHIPPING

Prática Products Inc. provides the most economical ground transportation possible, consistent with guaranteed freight and minimal terminal switching. Any special request, as in residential delivery, lift gate, or phone appointment, will have an additional charge. Prática Products Inc. imposes no hidden mark-ups; all freight charges are passed through the customer at our cost.

Any missing product, loss, or damage in shipment must be reported to Prática Products Inc. and the delivery common carrier immediately on receipt of shipment, and noted on the delivery receipt.

Shipments should be inspected before accepting delivery; if any damage is noticed, shipment should be refused. Any concealed damage noticed within 2 days of accepting delivery should be reported by consignee to the common carrier. Freight claims are the responsibility of the cosigner.

For information on terms and conditions please click on following link.



TERMS AND CONDITIONS

All prices are quoted in \$ U.S. dollars and are subject to change without notice. State sales tax will be added to the invoice if resale tax certificate is not on file.

Terms are net 30-days upon approved and established credit. Prices are quoted F.O.B from our warehouse in Lewisville, TX. Prática Products Inc. reserves the right to review, accept, or reject all purchase orders.

Purchase orders are only considered valid after written acknowledgement is received by the customer.

Prática Products Inc. reserves the right to change or modify the design, specification and substitute materials in construction of any product manufactured without notice.

All product dimensions are nominal and are subject to change.

RETURN POLICY

Any missing product, loss, or damage in shipment must be reported to Prática Products Inc. and the delivery common carrier immediately on receipt of shipment, and noted on the delivery receipt.

Shipments should be inspected before accepting delivery; if any damage is noticed, shipment should be refused. Any concealed damage noticed within 2 days of accepting delivery should be reported by consignee to the common carrier. Freight claims are the responsibility of the cosigner.

Unless Prática agrees otherwise, specifically in writing, sales are final. Returns of products will not be accepted unless Prática has provided written authorization. Returns are subject to a 25% restocking fee of the total order.

Prática

HIGH SPEED OVENS

Prática Products, Inc. - USA

424 E Church Street | Lewisville, TX 75057

www.praticausa.com

 [praticausa](https://www.facebook.com/praticausa)  [praticausa](https://www.instagram.com/praticausa)  [praticausa](https://www.linkedin.com/company/praticausa)  [praticahighspeedovens](https://www.youtube.com/channel/UCpraticahighspeedovens)

 Info@praticausa.com  +1 214-584-6269